# Skymen Technology Corporation Limited skymenultrasonic.com

# Stainless Steel Restaurant Heated Soak Tank 29 Gallon For Tableware Plate Pot Pan Grill

#### **Basic Information**

Place of Origin: China
Brand Name: SKYMEN
Certification: CE, RoHs, FCC
Model Number: JP-113LJR

Minimum Order Quantity:

Price: Negotiation Packaging Details: wooden case Delivery Time: In Stock

• Supply Ability: 1000 pcs per month



#### **Product Specification**

Application: Medical Instruments

Temperature Control: 20~100 °C
Thermal Insulation: Available
Tank Capacity: 113L
Heating Power: 2000W
Tank Dimension: 480\*410\*580

Highlight: Pan Grill Heated Soak Tank,
 29 Gallon SS Heated Soak Tank,

Tableware restaurant soak tank



### More Images





#### **Product Description**

90 Gallon Stainless Steel Kitchen Restaurant Heated Soak Tank for Kitchen Oven Kitchenware Tableware Plate Pot Pan Grill

M o d el N o.		JP-113LJR	
I m a g e	90 Gallon Stainless Steel Kitche	n Restaurant Heated Soak Tank for Kitchen Oven Kitche	enware Tableware Plate Pot
	Ultrasonic Frequency	28/40 kHz	
U	Material	Stainless Steel SUS304	
ltr	Tank Capacity	113 L	
а	Timer	1~99min adjustable	
S	Heater	20°C to 95°C adjustable	
ni	Degas	Yes	
С	Semiwave	Yes	
m		AC 100 ~ 120V, 50 / 60Hz	
o d	Power Supply	AC 220 ~ 240V, 50 / 60 Hz	
el	Heating Power	2000 W	
	Basket& cover	Standard equiped	
	Tank Size	480*410*580mm ( L x W x H )	
	N.W. / G.W.	156kg	
Р	Warranty	1 year	
a c ki n g	Features.	<ul> <li>Cleans equipment effortlessly</li> <li>No Scrubbing- Just Soak;</li> <li>Safe for people and environment</li> <li>Eliminates the worst job in the kitchen;</li> <li>Save water, time and money</li> </ul>	
A p pl ic at io n.	Pots; Pans; Sheet Pans ;Oven Racks; Muffin Pans; Roasting Dishes; Rubber Mats; Cutting Boards Wire Baskets; Baking Racks Grills; Hood Filters; Stove parts		
C e rti fi c at e s	CE/ROHS/FCC/PSE/ISO9001		
1 100	aut Description		

FEATURES

ank Material: Stainless Steel SUS304 castor Wheel: with brake leater: 20-100°C Adjustable lesign: lockable lid lasket: can remove from the tank and have a lift points flaterial of heater: Ceramic heater bobbin heating lisplay: Mechanical and digital optional Vater in late and drainage system with Drain louble walled and insulated stainless steel soak tank. With lockable lid. lasket can remove from the tank and have a lift points in the inside of the tank, lank Material:SUS304	
condition: New eature: Critical Cleaning / Residue Free se: Sterilizing / Disinfecting leaning Process: hot water and solvent Cleaning leaning Type: Immersion / Soak ldustry Used: kitchen cleaning jimension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank lapacity: 338 Litters ank Material: Stainless Steel SUS304 lastor Wheel: with brake leater: 20-100°C Adjustable leasign: lockable lid asket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating lisplay: Mechanical and digital optional Vater in late and drainage system with Drain louble walled and insulated stainless steel soak tank. Vith lockable lid. asket can remove from the tank and have a lift points in the inside of leatank, ank Material:SUS304	
andition: New aature: Critical Cleaning / Residue Free ses: Sterilizing / Disinfecting leaning Process: hot water and solvent Cleaning leaning Type: Immersion / Soak dustry Used: kitchen cleaning imension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW oduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake leater: 20-100°C Adjustable lesign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating splay: Mechanical and digital optional later in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. Ith lockable lid. asket can remove from the tank and have a lift points in the inside of e tank, ank Material:SUS304	
eature: Critical Cleaning / Residue Free se: Sterilizing / Disinfecting leaning Process: hot water and solvent Cleaning leaning Type: Immersion / Soak dustry Used: kitchen cleaning mension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake leater: 20-100°C Adjustable lesign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating splay: Mechanical and digital optional ater in late and drainage system with Drain buble walled and insulated stainless steel soak tank. Ith lockable lid. asket can remove from the tank and have a lift points in the inside of le tank, ank Material:SUS304	
see: Sterilizing / Disinfecting leaning Process: hot water and solvent Cleaning leaning Type: Immersion / Soak dustry Used: kitchen cleaning mension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm lower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank lapacity: 338 Litters ank Material: Stainless Steel SUS304 lastor Wheel: with brake leater: 20-100°C Adjustable leasign: lockable lid lasket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating lisplay: Mechanical and digital optional later in late and drainage system with Drain louble walled and insulated stainless steel soak tank. lith lockable lid. lasket can remove from the tank and have a lift points in the inside of le tank, lank Material:SUS304	
leaning Process: hot water and solvent Cleaning leaning Type: Immersion / Soak dustry Used: kitchen cleaning imension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW ooduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake easter: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional ater in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. Iith lockable lid. asket can remove from the tank and have a lift points in the inside of e tank, ank Material:SUS304	
leaning Type: Immersion / Soak dustry Used: kitchen cleaning imension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW orduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake eater: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional fater in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. Ifith lockable lid. asket can remove from the tank and have a lift points in the inside of e tank, ank Material:SUS304	
dustry Used: kitchen cleaning imension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake eater: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional fater in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. Fith lockable lid. asket can remove from the tank and have a lift points in the inside of e tank, ank Material:SUS304	
imension(L*W*H): 980*480*680mm ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake eater: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points aterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional later in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. lifth lockable lid. asket can remove from the tank and have a lift points in the inside of e tank, ank Material:SUS304	
ank size Dimension(L*W*H): 1080x580x860 mm ower(W): 3 KW roduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake eater: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional fater in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. fith lockable lid. asket can remove from the tank and have a lift points in the inside of le tank, ank Material:SUS304	
roduct Name: Commercial Kitchen Soak Tank apacity: 338 Litters ank Material: Stainless Steel SUS304 astor Wheel: with brake eater: 20-100°C Adjustable esign: lockable lid asket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating isplay: Mechanical and digital optional /ater in late and drainage system with Drain ouble walled and insulated stainless steel soak tank. //ith lockable lid. asket can remove from the tank and have a lift points in the inside of the tank, ank Material:SUS304	
apacity: 338 Litters ank Material: Stainless Steel SUS304 fastor Wheel: with brake leater: 20-100°C Adjustable leasign: lockable lid asket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating lisplay: Mechanical and digital optional //ater in late and drainage system with Drain louble walled and insulated stainless steel soak tank. //ith lockable lid. asket can remove from the tank and have a lift points in the inside of the tank, ank Material:SUS304  roduct picture	
Rasket: can remove from the tank and have a lift points Identated of heater: Ceramic heater bobbin heating Display: Mechanical and digital optional Vater in late and drainage system with Drain Double walled and insulated stainless steel soak tank. Vith lockable lid. Diasket can remove from the tank and have a lift points in the inside of the tank, Diank Material:SUS304	
astor Wheel: with brake leater: 20-100°C Adjustable lesign: lockable lid asket: can remove from the tank and have a lift points laterial of heater: Ceramic heater bobbin heating lisplay: Mechanical and digital optional vater in late and drainage system with Drain louble walled and insulated stainless steel soak tank. Vith lockable lid. asket can remove from the tank and have a lift points in the inside of lie tank, ank Material:SUS304	
leater: 20-100°C Adjustable design: lockable lid dasket: can remove from the tank and have a lift points daterial of heater: Ceramic heater bobbin heating display: Mechanical and digital optional Vater in late and drainage system with Drain double walled and insulated stainless steel soak tank. Vith lockable lid. dasket can remove from the tank and have a lift points in the inside of the tank, dank Material:SUS304	
design: lockable lid desket: can remove from the tank and have a lift points destaterial of heater: Ceramic heater bobbin heating display: Mechanical and digital optional Water in late and drainage system with Drain double walled and insulated stainless steel soak tank. With lockable lid. desket can remove from the tank and have a lift points in the inside of the tank, dank Material:SUS304	
Vater in late and drainage system with Drain clouble walled and insulated stainless steel soak tank.  Vith lockable lid.  Lasket can remove from the tank and have a lift points in the inside of the tank, ank Material:SUS304	
Material of heater: Ceramic heater bobbin heating bisplay: Mechanical and digital optional Water in late and drainage system with Drain bouble walled and insulated stainless steel soak tank. With lockable lid.  Justic can remove from the tank and have a lift points in the inside of the tank, and Material:SUS304	
Display: Mechanical and digital optional Vater in late and drainage system with Drain Double walled and insulated stainless steel soak tank. Vith lockable lid. Jasket can remove from the tank and have a lift points in the inside of ne tank, ank Material:SUS304	
Vater in late and drainage system with Drain Double walled and insulated stainless steel soak tank.  Vith lockable lid.  Idasket can remove from the tank and have a lift points in the inside of the tank,  ank Material:SUS304	
Product picture	
With lockable lid.  sasket can remove from the tank and have a lift points in the inside of the tank, sank Material:SUS304  Product picture	
roduct picture	
ank Material:SUS304	
Product picture	
Product picture  Package picture	
rackage picture	
ackage picture	
ackage picture	
ackage picture	
ackage picture	
acting plotars	
AQ	
low about after sales services? 2 months warranty for SKYMEN ultrasonic cleaner. Any technical problem during warranty time, fre-	raniacoment parts will be cent to your door. And technical
upport is also available after 1 year.	replacement parts will be sent to your door. And teerinical
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
/hat are advantages of ultrasound over traditional cleaning methods?	
1minimizes the use of manual labor 2).makes cleaning and degreasing without the use of organic	solvents 3) reaches every area of product and remove all
types of dirt 4).shorten processes such as extraction, dispersion, purification, and chemical reac	
of heat exchangers	iono. 07.04minatos costry modifanicai and chemical dealilli
or near evenangers	
Will ultreagnic elegning demogra item's mortal	
<b>/ill ultrasonic cleaning damage item's parts?</b> Iltrasonic cleaning is considered as safe cleaning way for most parts; In some cases, it is necessary	to observe carefully. The effect of thousands of implosions
er second is very powerful, and the cleaning process is safe.	and the state of t
•	



## **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com