

Shenzhen

JP-210LJR

1

CE/RoHS/ISO9001

usd 1050-1100/pcs

Wooden Case

1 pcs/15 days

5-8 days

Skymen

Removing Oil Ultrasonic Dish Cleaner Industrial Kitchen Soaking Tank 2000W 210liters

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C
- Supply Ability:



Product Specification

- Product Name:
- Tank Capacity:
- Frequency:
- Material:
- Timer:
- Heater:
- Heating Power:
- Voltage:
- Highlight:

JP-210LJR
210L
40/28Hz
Stainless Steel SUS304
0-30min
20°C-100°C Adjustable

2000W



- 110V/220V
- Ultrasonic Dish Cleaner 210liters, Ultrasonic Dish Cleaner 2000W, Ultrasonic Kitchen Soak Tank



More Images



Our Product Introduction

Product Description

Model No.		JP-210LJR
Image	j.jpg	
	Ultrasonic Frequency	28/40 kHz
	Material	Stainless Steel SUS304
	Tank Capacity	210 L
4 4 4	Timer	1~99min adjustable
	Heater	20°C to 95°C adjustable
Ultrasonic model	{	Yes
	Semiwave	Yes
		AC 100 ~ 120V, 50 / 60Hz
	Power Supply	AC 220 ~ 240V, 50 / 60 Hz
	Heating Power	2000 W
	Basket& cover Standard equiped	1
} }	Tank Size :750*450*620mm (L x W x H)	
	Unit Size	850x550x800mm (L x W x H)
Packing	Package Size	930x630x920mm (L x W x H)
	N.W. / G.W.	107kg
	Warranty	1 year
Features.	Cleans equipment effortles No Scrubbing- Just Soak; Safe for people and enviro Eliminates the worst job in Save water, time and mon	nment the kitchen;
Application.	Pots; Pans; Sheet Pans ;C Roasting Dishes; Rubber I Grills; Hood Filters; Stove	Mats; Cutting Boards Wire Baskets; Baking Rack
Certificates	CE/ROHS/FCC/PSE/ISO900	

Pictures:





Different size for your reference:

Model Volume (I	_iters) Tank size (mm)Unit size (mm)	Heating power(KW)
JP-113113	480*410*580	580x510x760	2
JP-156156	650*400*600	750x500x780	2
JP-211211	750*450*625	750*550*785	2
JP-258258	890*480*605	990*580*880	3
JP-274274	840*480*680	940*580*875	3
JP-388388	1080*460*680	1480*560*875	3
JP-483483	1365*520*680	1465*620*875	3

Cleaning steps:

Fill in the tank with clean hot water to the max line; Add the detergent and stir the solution;

Plug the machine into the electrical outlet and switch on; The solution will remains at 80°C;

Load the cleaning items such as pots, pans, hood filters and more. Use the lifting basket to lower the items into the appliance. A light rinse is required before using items. Heavily carbonized equipment may need an additional soak.

Close the lid, leaving the items in the tank to soak, and walk away. It will clean continuously, remove fat, grease, oil and carbon build up.

Suggest time:

ltem	Cleaning time
Pot& Pans	Initial soak 12 hours
	.

Hot plates & grills	Minimum of 12 hours
Deep fry baskets	Minimum 3~4 hours
Hood filter	1 hour
Roasting pans	Initial soak 12 hours
Gas rings& Cooker tops	s Minimum 12 hours
Bakery trays and racks	Initial soak 12 hours
Serving dishes	1-2 hours
Oven Racks	Initial soak 12 hours

FAQ:

1. How about after sales services?

1 Year warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.

2. What are the advantages of ultrasound over traditional cleaning methods?

Minimize the use of manual labor Make cleaning and degreasing without the use of organic solvents Clean hard to reach areas of products and remove all types of dirt Shorten the processes such as extraction, dispersion, purification, chemical reactions Eliminates costly mechanical and chemical cleaning of heat exchangers

3. What frequency is better for my parts?

Frequency is suggested based on pollutants in the objects. 28kHz frequency is stronger, better for car/motor/truck/vessel parts clean(remove oils, grease, pastes, etc.) 40kHz is better for pcb boards, electronic parts, etc. Higher precision goods, higher frequency.

4. Can ultrasonic cleaning damage parts?

Ultrasonic cleaning is considered safe for most parts; Although in some cases it is necessary to observe caution. Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe.

	skymen Skym	en Technology C	orporation Limited
3 🕑	86-755-27094405	info@skymen.cc	e skymenultrasonic.com
Floor 1st & 2nd, Buil	ilding 3, Tanggang Taifer	g Industrial Park, Dawa District, Shenzhen	angshan Community, Shajing Street, Bao'an