

Skymen 020S 3.2L Ultrasonic Cleaner For airbrush With Digital Timer

Basic Information

Place of Origin: ChinaBrand Name: Skymen

Certification: CE/ROHS/FCC/ISO9001

Model Number: 020S
Minimum Order Quantity: 1 sets
Price: Negotiation
Packaging Details: carton box
Delivery Time: In Stock

Payment Terms: L/C, T/T,PaypalSupply Ability: 5000sets per day



Product Specification

• Material: ABS

Clean Medium: Wet CleaningCharacter: Thorough Cleaning

Control Mode: Artificial
Customize: Available
Status: New
Ultrasonic Power: 60W
Ultrasonic Frequency: 40kHz

Inner Tank Size: 240*135*100mm
 Unit Size: 270*185*230mm
 Box Size: 300*200*240mm

Capacity: 3.2LN.W: 3.35G.W: 3.95

Highlight: Digital Timer 3.2L ultrasonic cleaner,



More Images



Product Description

skymen 020S 3.2L ultrasonic cleaner for air brush with digital timer

This machine is great for homeuse, excellent for cleaning jewellery, Precise Barrels ect.

Ultrasonic cleaner Specification:

Model	JP-020S		
Ultrasonic power	60W (1pc transducer)		
Frequency	40KHz		
Housing material	ABS		
Tank material	SUS304		
Tank capacity	3.2L /160oz		
Timer	1-30minutes mechanical timer		
Voltage	AC 100~120V, 60Hz		
Voltage	AC 220~240V, 50Hz		
Tank size	240*135*100mm		
Unit size	270*185*230mm		
Packing size	300*200*240mm		
N.W.	3.35Kg		
G.W.	3.95Kg		
Certificate	ISO9001:2008;CE; RoHS;FCC		

Ultrasonic cleaner Features:

- 1. Wear resistance and long life.
- 2. Tank capacity: 3.2L with digital timer.
- 3. With basket and lid, UM
- 4. Use tap water, or denatured alcohol and solvent cleaners, according to your requirements
- 5. Flexible circuit board control, more secure and stable
- 6. Certification: CE & RoHS & ISO9001

Ultrasonic cleaner Application Field				
Scientific Labs	Eyeglass Frames Lab Glassware Optical & Contact Lenses Pipettes Scientific Instruments Test Tubes	Industrial Manufacturing	components gear metal parts Precision Bearings Relays and Motors switch Precision barrel gun parts Tungsten Steel Darts	
Electronics Manufacturing	Capacitors Ceramic Substrates PC Boards Packaging Components Quartz Crystals SMDs	Medical & Dental Lab	Burs Blood Oxygenators Cannulae Dental Instruments Syringe Parts Surgical Instruments	
Jewelry Manufacturing	Chains Charms Coins Intricate Settings Precious Metals & Gemstones Watches	Auto Industry	Carburetor Castings Fuel Injectors Machined Parts Stamped Parts Switches	







Ultrasonic cleaner Quality control

1. Raw material inspection:

QC and engineers will gradually carry out strict inspection of raw materials to ensure product quality and safety before delivery.

2. Sales Check:

Our salesman will also check the production process before arranging shipment to make sure the machine is 100% according to the sample

3.100% product inspection:

100% products are inspected during production, standard units will be tested within at least 4 hours, custom machines will be

tested at least 2 days before delivery.

4. We always strive for perfection:

Everyone at Skymen will try their best to solve the problem with you.

Ultrasonic cleaner FAQ

Could I Get one sample of the Ultrasonic Cleaner?

Yes, sample orders welcomed. Sample details please contact with saler. If need customized, Silk printing time is 3-7 days, hot transfer time is 10 days.

2. Do you have your ownfactory?

Yes, we have OEM products and professional for plastic nealy 20 years.

3. Could I use my ownlogo or design on the Ultrasonic Cleaner?

Yes, Customized logo and design on mass production are available. And you can choose the colors or materials.

4. What is the delivery time of the Ultrasonic Cleaner?

Standard samples are available! 15-30 days for mass production after you confirm the samples all the details

5. Which kinds of certificate would your Ultrasonic Cleaner have?

CE ROHS FCC REACH ISO13485 ISO9001 SGS, BPA, LFGB, etc.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen