

## 360L Industrial Ultrasonic Parts Cleaner Stainless Steel Tank For DPF Parts / Engine

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE, PSE, RoHS, REACH, FCC, KC, BSCI, ISO9001, ISO13485
- Model Number: JP-720G
- Minimum Order Quantity: 1
- Price: USD2954-USD3715/unit
- Packaging Details: wooden package
- Delivery Time: 1-30 working days
- Payment Terms: T/T, L/C
- Supply Ability: 50units per month



### Product Specification

- Tank Material: Stainless Steel 304 Or Stainless Steel 316
- Ultrasonic Frequency: 28KHZ/40KHZ Available
- Ultrasonic Power: 0-3600W
- Heating Power: 9000W
- Timer: 0-99hours
- Heating Temp: Normal-95°C
- Power Supply: AC220V, 60HZ/AC 380V, 50HZ
- Tank Size: 1\*0.6\*0.6 Meter (L\*W\*H)
- Package Size: 1.71\*1.41\*1.3 Meter (L\*W\*H)
- With: Inlet, Drain Valve, Lid, Filter System Cycling, Castor,
- Highlight: **DPF Parts industrial ultrasonic parts cleaner, SS Tank industrial ultrasonic parts cleaner, 360L Industrial Ultrasonic bath**



### More Images



## Product Description

### Pls see the model JP-720G detail specification as below:

Model: JP-720G

Internal tank size: 1000x600x600mm (39.4"x 23.6"x23.6")

Capacity/Volume: 360liter(95.3gal)

Frequency: 28KHZ or 40KHZ(**40KHZ for precision parts cleaning, 28KHZ for heavy dirty oil parts cleaning**)

Ultrasonic power: **3600W**( From 1400W to 3600W adjustable)

Heating power: **9KW** ( stainless steel heating elements immersed in water)

Heater: Normal to 95 degree adjustable

Timer: 1-99 hours adjustable

Power supply: AC380V, 50HZ, 3phase or AC220V, 60HZ,3phase

Unit size: 1180x1180x950mm Wooden Packaging: 138x135x130cm Gross Weight: 350kgs

### With filtration cycle system

(Pump flow 2 cubic meters, lift effective distance 20 meters, The filter is 10 inches, pump power 370W)

**Filter system advantage:** 1. Improve the utilization of cleaning solvent 2. Reduce the cost of cleaning solution

3. Avoid secondary pollution of the cleaning parts 4. Save labor cost of replacing cleaning solution

**Warranty: 1 year warranty and technical support for life,**

**free spare parts for exchanging within 1 year warranty.**

Delivery: immediate dispatch (in stock) or 15-30 working days ( Without in stock)

With CE/ROHS/FC/ISO/BSCI/ certificate.

### Product specification:



## SKYMEN INDUSTRY ULTRASONIC CLEANER



Automotive



Marine



Aero



Metal Parts



Tools




Electronic



- ✓ Fast delivery large stock
- ✓ Self-developed circuit board
- ✓ OEM / ODM support
- ✓ Filtration system cycling
- ✓ Self-developed ultrasonic transducer
- ✓ CE & RoHS & FCC & ISO9001 & BSCI

Model	JP-720G	Capacity	360L
Tank Size	1000*600*600mm	Package Size	1710*1410*1300mm
Frequency	28/40KHz	Ultrasonic Power	0-3600W
Heating Power	9000W	Timer	1~99H
Heater	20~95°C	Material	SUS304/SUS316
Generator	External 2 units	Inlet & Drain Valve	YES
Power Supply	AC 220V, 60Hz/AC 380V, 50Hz		
Accessories	Stainless steel washing basket and Lid, Instruction manual, Power cord, Filter system		

### Product details:



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

### Product Features

- 1 Hydraulic Silencer Lid
- 2 Electricity Box
- 3 Pressure Gage
- 4 Filter Element
- 5 Filter Water Pump
- 6 Y-type Filter
- 7 Level Sensor
- 8 Filter Tank

**What's the function of filtration circulation system?**

- 1) It will prolong the service life of cleaning agent which will save a lot of cleaning agent for you;
- 2) Reduce emissions and prevent environmental pollution;
- 3) Filter oil and dirt to prevent secondary pollution.

**Product parameter:**

| Model    | Capacity | Tank size     | Packing size   | Frequency | Ultrasonic power | Heating power | Timer | Heater | Filter |
|----------|----------|---------------|----------------|-----------|------------------|---------------|-------|--------|--------|
|          | (L)      | (mm)          | (mm)           | (kHz)     | (W)              | (W)           | (h)   | (°C)   | —      |
| JP-120G  | 38       | 500*300*250   | 885*1110*750   | 28/40     | 0-600            | 1500          | 1-99  | 20-95  | Yes    |
| JP-180G  | 53       | 500*350*300   | 740*1000*735   | 28/40     | 0-900            | 1500          | 1-99  | 20-95  | Yes    |
| JP-240G  | 77       | 550*400*350   | 780*1050*805   | 28/40     | 0-1200           | 3000          | 1-99  | 20-95  | Yes    |
| JP-300G  | 99       | 550*450*400   | 820*1150*835   | 28/40     | 0-1500           | 4500          | 1-99  | 20-95  | Yes    |
| JP-301G  | 96       | 800*300*400   | 1080*1000*850  | 28/40     | 0-1500           | 4500          | 1-99  | 20-95  | Yes    |
| JP-360G  | 135      | 600*500*450   | 860*1310*800   | 28/40     | 0-1800           | 4500          | 1-99  | 20-95  | Yes    |
| JP-480G  | 175      | 700*500*500   | 975*1300*810   | 28/40     | 0-2400           | 6000          | 1-99  | 20-95  | Yes    |
| JP-600G  | 264      | 800*600*550   | 1060*1400*950  | 28/40     | 0-3000           | 9000          | 1-99  | 20-95  | Yes    |
| JP-720G  | 360      | 1000*600*600  | 1280*1500*1000 | 28/40     | 0-3600           | 12000         | 1-99  | 20-95  | Yes    |
| JP-1108G | 540      | 1000*900*600  | 1300*1600*1050 | 28/40     | 0-5400           | 18000         | 1-99  | 20-95  | Yes    |
| JP-1144G | 960      | 1200*1000*800 | 1500*2150*1250 | 28/40     | 0-7200           | 24000         | 1-99  | 20-95  | Yes    |

### Application:

**Machinery industry:** suitable for oil removal and rust removal of mechanical parts, carbon removal from engine, carburetor, filters and etc. parts cleaning.

**Automobile industry:** suitable for oil, grease, fouls, carbon and rust removal for the inproduction or automaintenance auto parts.

**Electronic instrument and meter industry:** High precision cleaning for precision components dust removal deoxidation, rosin & welding spot removal from circuit board.

**Medical, Chemical and biological industry:** cleaning, disinfection, sterilization on medical equipment and experimental vessels, etc.

**Petrochemical textile industry:** cleaning on the stator winding, metal screen, chemical container, and radiator. etc.

### Introduction of Skymen:

Skymen Ultrasonic that sets up in 2007, is a professional manufacturer

with over 20,000 square meters of factory and monthly output over 100,000 pcs.

We, a team total at over 200 employees, provide OED/ODM Support for benchtop and industrial ultrasonic cleaners with our own R&D Base.

Our products have passed BSCI, ISO9001, ISO13485, CE, PSE, RoHS, REACH, FCC, KC, certificates etc.

Therefore, we have large stock, fast delivery and professional pre-sales and after-sales services of our high quality ultrasonic cleaners.

Our guaranty ultrasonic cleaners export to all over the world. And many dealers have cooperated with us.

We have ultrasonic cleaners of 2-30 Liter Benchtop Series and 38-2000 Liter Industrial Series

which could remove oil, dust, rust, stain of autoparts, industrial engines, any other mechanical parts etc.

### Q & A:

#### 1. Q: Are you a manufacturer?

**A:** Yes, we are the professional manufacturer of 0.8-30 Liters Benchtop series and 38-2000 Liters industrial series, different kinds of ultrasonic cleaners. Our guaranty ultrasonic cleaners export to all over the world. And many dealers have cooperated with us. The retail and wholesale competitive factory price will offer, you could get the best price and high quality product, professional pre-sales, after-sales services from us.

#### 2. Q: What functions can we make for ultrasonic cleaners?

**A:** There are so many functions we can make for ultrasonic cleaners to meet all the cleaning needs for the clients in different kinds of industries. Such as PLC control, Lifting function, Spraying function, Condensation function, Bubbling function, Agitation function, Filtration function, Drying function, etc., The OED/ODM Support for benchtop and industrial ultrasonic cleaners will provide with our own R&D Base. If you need any other more functions, pls directly contact us to design and customize for you.

#### 3. Q: How about the after-sales service and warranty?

**A:** We offer 1-year warranty for the after-sales service of ultrasonic cleaners, during the 1-year warranty, free spare parts for exchanging and Technical support for life will provide you only need to pay the freight for the spare parts.

#### 4. Q: What is the delivery time?

**A:** The goods in stock, we could deliver to your forwarder within 1 day and right away. If without stockage, our fast manufacturing time is 5-25 working days and as soon as possible, after we receive your payment for ultrasonic cleaners.

#### 5. Q: What certificates for products we have?



**A:** Our products have passed BSCI, ISO9001, ISO13485, CE, PSE, RoHS, REACH, FCC, KC, certificates etc.If you need any other more product certificate, pls directly contact us to show you more. To achieve our long-term cooperation, we could also make the other product certificates or certificate of origin for you.

**More information about us:**

## CLEANING EFFECT

Better cleaning when cleaning with detergent



# PRODUCTION PROCESS



## Our Factory



## Our RD Team





**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen