Skymen Technology Corporation Limited skymenultrasonic.com

Single Tank Industrial Ultrasonic Cleaning Machine Explosion Proof With Refrigeration

Basic Information

Place of Origin: ChinaBrand Name: SkymenCertification: CE

Model Number: JTS-1024Z

Minimum Order Quantity:

Price: Negotiation
Packaging Details: Wooden Box
Delivery Time: In Stock
Payment Terms: T/T
Supply Ability: 1000 week



Product Specification

• Ultrasonic Frequency: 28/40Khz

• Generator: Digital, IC Program, Continuouse

• Functions: Lace, Earloop Welding

• Certification: CE,RoHS,FCC

Material: SUS 304L / SUS 316L

Machine Type: Industrial Ultrasonic Cleaner

Fuel: ElectricCondition: New

• Highlight: SUS 304L Industrial Ultrasonic Cleaning

Machine

, Industrial Ultrasonic Cleaning Machine 77L, Single Tank Industrial Ultrasonic Cleaner



Industrial Ultrasonic Cleaning Machine With Refrigeration Explosion-Proof Function

The single-tank condensation explosion-proof ultrasonic cleaning machine can use trichloroethylene, trichloroethane, etc. or other cleaning agents with similar properties as the cleaning medium.

- 1. Coil type condensing system, effectively prevent solvent volatilization;
- 2. Automatic temperature control device, intelligent constant temperature cleaning;
- 3. Solvent filtration recovery system to reduce cleaning costs;
- 4. Using industrial-grade vibrating head, it can work for a long time;
- 5. The body is made of high-quality stainless steel, which is resistant to acid and alkali, beautiful and durable;
- 6. The power cord adopts industrial thick cable, which is safe and practical;
- 7. The design of casters is convenient for the machine to move and stop.

This single-tank condensation explosion-proof ultrasonic cleaning machine is customized for customers. Skymen can make non-standard customization according to customer cleaning needs, and provide various supporting cleaning solutions to meet the cleaning needs of various industries. Welcome to consult us for more information!

Product's Parameter

Brand	Skymen		
Model	Inner Tank Size	Ultrasonic Power	Timer
JTS-1012z	500*300*250mm	0-600W	1-99min
JTS-1018Z	500*350*300mm	0-900W	1-99min
JTS-1024Z	550*400*350mm	0-1200W	1-99min
JTS-1030Z	550*450*400mm	0-1500W	1-99min
JTS-1031Z	800*300*400mm	0-1500W	1-99min
JTS-1036Z	600*500*450mm	0-1800W	0-99h
JTS-1048Z	700*500*500mm	0-2400W	0-99h
JTS-1060Z	800*600*550mm	0-3000W	0-99h
JTS-1072Z	1000*600*600mm	0-3600W	0-99h
JTS-1084Z	1500*700*400mm	0-4200W	0-99h
JTS-1096Z	1200*500*800mm	0-4800W	0-99h
JTS-1108Z	1000*900*600mm	0-5400W	0-99h
JTS-1120Z	1000*800*800mm	0-6000W	0-99h
JTS-1132Z	1000*1000*600mm	0-6600W	0-99h
JTS-1144Z	1200*1000*800mm	0-7200W	0-99h
JTS-1216Z	1500*1000*1000mm	0-10800W	0-99h
Coil Refrigeration	Standard	Explosion-proof electrical cabinet	Standard
Ultrasonic Frequency		28/40KHz	

Product Features

- Digital touch: light touch button operation, digital display time and temperature;
- Adjustable temperature: room temperature -95 degrees adjustable;
- Adjustable power: 0-100% adjustable;
- Adjustable time: 0-99H adjustable (normally open);
- 2.0 Argon welding liner: SUS304 stainless steel, 2.0 thickness is more durable;
- Stainless steel shell: buckle connection of square steel frame door, anti-dirty and anti-fingerprint;
- Stainless steel silencer cover: SUS304 stainless steel, dirt-resistant and fingerprint-proof;
- Stainless steel basket: SUS304 stainless steel, a variety of meshes are available, and steel bars are reinforced;
- Machine power cord: adopts industrial thickened cable, which is durable;
- Non-slip casters: The machine adopts the design of movable stop-aid casters, which is convenient to move and fix;
- Generator: brand generator with frequency sweep function;
- Independent research and development drive: imported original electrical accessories, stable output;
- Transducer: Industrial imported head shaking, strong force and good effect, high conversion rate, long working hours;
- Cooling system: The fan cooperates with multiple holes to dissipate heat in multiple directions.

Upgraded Cleaning Technology

in paged to product our tack their improglood any inches and win paged to make it is a perceptual value of tack their improglood any inches and in paged to make it is a perceptual value of tack their improglood and in paged to make it is a perceptual value of tack their improglood and in paged to make it is a perceptual value of tack their improglood and in paged to make it is a perceptual value of tack their improglood and in paged to make it is a perceptual value of tack their improglood and in a perceptual value of tack their improglood and in paged to make it is a perceptual value of tack their improglood and in paged to deal improglood and in paged to be an improve it is a perceptual value. It is a perceptual value of interpretation and in paged to tack their improglood and improglood beautiful value.





Applications

Better cleaning effect with cleaning agent







Copper, aluminum, stainless steel, hardware industry applications







Auto parts, aviation, shipbuilding, industry applications







Fixture industry application



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen