

Anilox Roller Industrial Ultrasonic Cleaning Machine Anilox Cleaner For Printing

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- JP-1144W 1 unit Negotiation

5000 units per week

SUS 304/316

Cleaning Machine

CE/FCC/RHoS/REACH

skymen/OEM

wooden case

China

- In Stock
- T/T, L/C, Paypal



Product Specification

- Material:
- Tank Capacity:
- Tank Size:
- Frequency:
- Power Supply:
- Transducer:
- Model:
- External Generator:
- Highlight:

750L 1500X1000X500 Mm 40KHz / 28KHz AC 220V 3 Phase 50Hz / AC 380V, 3 Phase 50Hz 144pcs JP-1144W 3 Pcs 750L Ultrasonic Cleaning Machine,

Anilox Roller Ultrasonic Cleaning Machine, 144pcs Transducer Industrial Ultrasonic



More Images



Industrial Professional Ultrasonic Anilox Roller Cleaning Machine Anilox Cleaner for Printing Factory

Function:

Ultrasound is the most efficient and cost effective method of removing Carbon ,oil, rust ,build-up dirt.

Features:

Specailly for Aniox roller cleaning:

1. Middle holding wheel frame flexible adjustable

- 2. With Rotating Function, bearing: max 25kg
- 3. With 1 set of transmission device, main modules are support module, transmission module and power module.

4. In the support module, a set of support seats are installed on both sides of the tank, one of which can be moved, and the other set of support seats are fixed.

5. Install the transmission module on the fixed support base, install the rolling bearing, gear and chain made of nylon material.6. A gear is installed on the motor in the power module, the gear drives the chain, and the chain acts on the nylon rolling bearing in the transmission module.

Dirt and oil could be removed in a short time by using the strong cavitation of ultrasound.

Time is adjustable among 1 second to 500 hours by simple handle of large timer.

Additional for small parts cleaning specially and drainage for changing of cleaning solution.

Standard residual-current circuit breaker: used for testing leakage power. And keeping moving of machine and cutting of power switch.

Specificatoin:

opeenieatenni				
Model	JP-1144w			
Ultrasonic power	7200W (144pcs transducers)			
Frequency	40KHz / 28KHz			
Housing material	SUS304			
Tank material	SUS304 / 316			
Heating power	2400W			
Tank capacity	750L			
Timer	Digital 1-99 min adjustable			
Heater	room temp~80°C			
Voltage	AC 220V, 3phase 50Hz			
	AC 380V, 3phase 50Hz			
Tank size	1500X1000X500mm			
Certificate ISO9001:2008 CE & RoHS				

From 10 galles to 200 gallons ,size could be customized

Images of this model:



The whole set machine including: 1* cleaning machine 1* lid 1* basket

Similar models with different tank volume:

Model	Tank size	Volume	Ultrasonic Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-120ST	500X300X250	38L	600W	1500W	12pcs
JP-180ST	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
JP-300ST	550X450X400	99L	1500W	4500W	30pcs
JP-301ST	800X300X400	96L	1500W	4500W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs

JP-480ST	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
JP-720ST	1000X600X600	360L	3600W	9000W	72pcs
JP-1108ST	1000X900X600	540L	5400W	18000W	108pcs
JP-1144ST	1200X1000X800	960L	7200W	27000W	144pcs

FAQ

How about after sales services?

12 months warranty for SKYMEN ultrasonic cleaner. Any technical problem during warranty time, free replacement parts will be sent to your door. And technical support is also available after 1 year.

What are advantages of ultrasound over traditional cleaning methods?

1) .minimizes the use of manual labor

2) .makes cleaning and degreasing without the use of organic solvents

3) reaches every area of product and remove all types of dirt

4) .shorten processes such as extraction, dispersion, purification, and chemical reactions. 5).eliminates costly mechanical and chemical cleaning of heat exchangers

Will ultrasonic cleaning damage item's parts?

Ultrasonic cleaning is considered as safe cleaning way for most parts; In some cases, it is necessary to observe carefully. The effect of thousands of implosions per second is very powerful, and the cleaning process is safe.


Package by polywooden case:



Before and after :



Anilox Roller's Cleaning Effect



Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen