

Shenzhen

CE/RoHS/ISO9001

usd 75-80/pcs Wooden Case

3000 PCS per month

Skymen

JP-020

5-8 days

3L Benchtop Ultrasonic Cleaner Ultrasonic Cleaning Machine With Machenical **Control Panel**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 piece
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

- Cleaning Medium:
- Cleaning Accuracy:
 - Precision Industrial Cleaning Artificial

ISO9001

40KHz

2mm

3.2L

80W

0-30min

150*135*100mm

Stainless Steel SUS304

Room Temp~80°C Adjustable

Wet Cleaning

CE CB CSA ETL RoHS UL UR Other

- Control Method: Physical Cleaning
- Principle:
- Certification:
- Specification:
- Frequency:
- Material:
- Tank Thickness:
- Tank Capacity:
- Timer:
- Heater:
- Ultrasonic Power:
- . Heating Power: 100W

Our Product Introduction

for more products please visit us on skymenultrasonic.com

		leaning machine with machenical control panel JP-020 (Mechanical control series)
2Image	CFF 1	<complex-block></complex-block>
	Ultrasonic Frequency	40 kHz
	Material	Stainless Steel SUS304
	Material Tank Capacity	Stainless Steel SUS304 3.2L
Ultrasonic	Material Tank Capacity Timer	Stainless Steel SUS304 3.2L 1~99min adjustable
Ultrasonic model	Material Tank Capacity Timer Heater	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable
3 Ultrasonic model	Material Tank Capacity Timer	Stainless Steel SUS304 3.2L 1~99min adjustable
Ultrasonic model	Material Tank Capacity Timer Heater	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz
Ultrasonic model	Material Tank Capacity Timer Heater Power Supply	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
3 Ultrasonic model	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped
3 Ultrasonic model	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H)
	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size Unit Size	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H) 260*165*220mm(L x W x H)
	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size Unit Size Package Size	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H) 260*165*220mm(L x W x H) 330*250*315mm(L x W x H)
	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size Unit Size Package Size N.W. / G.W.	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H) 260*165*220mm(L x W x H) 330*250*315mm(L x W x H) N.W.3.5kg,G.W.3.7kg
Packing	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size Unit Size Package Size N.W. / G.W. Warranty 1. stainless steel tank has resistander 2. with Digital timer & heater control 3. with stainless steel basket and co 4. use just tab water, or industrial and co	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H) 260*165*220mm(L x W x H) 330*250*315mm(L x W x H) N.W.3.5kg,G.W.3.7kg 1 year
Ultrasonic model Packing Features.	Material Tank Capacity Timer Heater Power Supply Ultrasonic Power Heating Power Basket& cover Tank Size Unit Size Package Size N.W. / G.W. Warranty 1. stainless steel tank has resistant 2. with Digital timer & heater contro 3. with stainless steel basket and o 4. use just tab water, or industrial a 5. ultrasonic cleaning solutions pen chemicals and other contaminants and free of particulate; even in creating Tank Capacity Tank Size Package Size N.W. / G.W. Warranty	Stainless Steel SUS304 3.2L 1~99min adjustable 0°C to 80°C adjustable AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz 120 W 100 W Standard equiped 240*135*100mm(L x W x H) 260*165*220mm(L x W x H) 330*250*315mm(L x W x H) N.W.3.5kg,G.W.3.7kg 1 year ce to wear and long work life. ol, cover. alcohol and solvent cleaner for more higher cleaning requirement etrate virtually any soil type including: oils, residues, solvents, pastes and are safely lifted and dispersed, leaving a surface appearance that is clear vasses and internal bores.

USD \$80/pc, for samples USD \$75/pc, MOQ30pcs

Retail Price: USD \$150/pc

Special Features:

- 1. stainless steel tank has resistance to wear and long work life.
- 2. tank capacity:3.2Liter
- 3.Use just tab water, or industrial
- alcohol and solvent cleaner for more higher cleaning requirement
- 4.industrial control chip microcontroller.flexible circuit boards
- control, more secure & stable
- 5.with drainage, basket, lid and Multi-direction castors
- 6. PCB board is independent research and development design production by skymen
- 7. It can applied to clean cast iron, steel, stainless steel, brass, bronze, and so on

Application:

-Scientific Labs:Eyeglass Frames;Lab Glassware;Optical&Contact Lenses;Pipettesscientific Instruments;Test tubes -Industrial Manufacturing:Assemblies;Gears;Metal&Plastic Parts;Precision Bearings

-Electronic manufacturing:Capacitors;Ceramic Substrates;PC Boards;Packaging Components;Quartz Crystals -Medical and Dental Lab:Burs;Blood Oxygenators;Dental Instruments;Syringe Parts;Surgical Instruments -Jewelry Manufacturing:Chains;Charms;Coins;Intricate Settings;Precious Metals&Gemstones;Watches

If your company has other needs, you can choose the size that suits you according to the chart below

skymen T	Skyr	men Meo	chanical	Benchto	op Series	Ultraso	nic Clea	ner
Mechanical Series		0.0	0-0	0.0		0-0		
Model	JP-010	JP-020	JP-030	JP-031	JP-040	JP-060	JP-080	JP-100
Capacity(L)	2	3.2	4.5	6.5	10	15	22	30
Tank size(mm)	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Overall size(mm)	180*165*205	260*165*220	325*180*225	375*200*275	380*290*280	400*350*280	585*330*280	585*327*333
Frequency(kHz)	40KHz							
Ultrasonic power(W)	60	120	180	180	240	360	480	600
Heating power(W)	100	100	200	200	200	300	500	500
Time control(Min)	0~30	0~30	0~30	0~30	0~30	0~30	0~30	0~30
[emperature setting(°C)	20~80°C							

Service:

1.Warranty:

12 months warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge.

Technical support is also available in whole time.

2.Our Advantage:

- 1. Reply your enquiry in 24 working hours.
- 2. Experienced staffs answer all your questions in fluent English.
- 3. OEM is available if the quantity is large.
- 4. We offer very competitive for all our products.

3.After-sales

Our ultrasonic cleaning equipment undergo an extensive and strict testing and quality control procedure, ensuring every item purchased meet global quality standards.

♦Payment Methods

These payments of T/T,Western Union,Paypal are accepted. If you have any problem with the payment, please leave a message to us. Logistics

DHL, EMS and Fedex are our choices. If you prefer other reliable shipping company, please leave a message to us.

♦Tracking Number♦

Tracking number will be informed within 2-3 work days after delivery goods. If you have any problem with it, please leave a message to us. ♦Feedback●

Any comments, suggestions are accepted. We will be very grateful to your positive footprints left in our company. If you have any problem with our products, please leave a message to us.

♦Refund♦

Any damage or shortage of our goods after you receive your items, please take some photos for a witness. We will deal with it in 24 hours. Frequently, we will send a new part of items for heavy-damage. Before refund is accepted, please leave a message to us

Company profile

Here are the Skymen company. You can know more about us with the details.

skymen 🕇 Professional Ultrasonic Cleaner Manufacturer ch is a leading manufacturer and habitian ngh-tech enterprise,was rounaed in 2001, we for more than 15 years. There are more than 120 patents & certificates in total. Our produ 2007 2009 2012 SET UP DEVELOP **OPTIMIZE Skymen Cleaning** In 2009, Skymen Added mold injection **Equipment Shenzhen** established a branch in and Delis department, Co., Ltd. was founded in HongKong and a factory which focus on R & D and 2007. in Shenzhen. manufacturing. 2016 2017 2021 **CERTIFICATION EXPANSION TAKE OFF**

Through High-tech Enterprise Certificate, ISO 9001 certification and Medical device registration certification. In Fuyong to set up a new marketing center, in Gongming to set up a manufacturing center.

Newly build Shaoguan Industrial Park, vigorously R&D laboratories and ultrasonic cleaning technology.



Production Workshop



Production workshop



Production workshop





Sales team of more than 80 people





FAQ:

Q. How do I get the best ultrasonic cleaning?

Choosing the proper cleaning solution is one of the most important decisions, as well as cleaning at the right temperature, cleaning time, and choosing the suitable size and type of ultrasonic cleaner.

Q. Can ultrasonic cleaning damage my parts?

Ultrasonic cleaning is considered, safe for most parts. Although the effects of thousands of air bubble implosions per second is very powerful, the cleaning process is safe since the energy is localized at the microscopic level.

Q. Why is a special solution required for cleaning?

Oil or other dirty adhere to the parts, if no special solution, the oil would just fall off the parts! The purpose of the solution is to break the bonds

between parts and their oil. Water alone has no cleaning properties.

Q. What cleaning solution should I use?

Modern ultrasonic cleaning solutions are compounded from a variety of detergents, including wetting agents and other reactive components. A large variety of excellent formulations are available, designed for specific applications. For selecting which one solution, you could consult your local solution company and they can give you more professional advice.

Q. What cleaning solution shouldn't I use?

Flammables or solutions with low flash points should never be used. The energy released by cavitation is converted to heat and it may be explode for flammable liquids. Strong alkali and Acids should be avoided; they will damage stainless steel tanks.

	Skymen Technology Corporation Limited						
0	86-755-27094405	info@skymen.cc	e	skymenultrasonic.com			
Floor 1st & 2nd, Bui	ilding 3, Tanggang Taifen	g Industrial Park, Dawa District, Shenzhen	ngshar	n Community, Shajing Street, Bao'an			