



Three Tank Skymen Ultrasonic Cleaner SUS304 For Cleaning Rinsing Drying

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen
- Brand Name: Skymen
- Certification: CE/RoHS/ISO9001
- Model Number: JP-3072GH
- Minimum Order Quantity: 1
- Price: usd 2000-5000/pc
- Packaging Details: Wooden Case
- Delivery Time: 8-15 days
- Payment Terms: T/T, Western Union, MoneyGram, D/A,
- Supply Ability: 500 PCS per month



Product Specification

- Tank Capacity: 135L For Each Tank
- Inner Tank Size: 600*500*450mm
- Frequency: 40/28Hz
- Ultrasonic Power: 3600W Can Be Custom Made
- Heating Power: 4500W*2
- Drying Power: 3000W
- Material: Stainless Steel SUS304/SUS316
- Tank Thickness: 2mm
- Timer: 1-99h
- Heater: 20°C-95°C Adjustable
- Unit Size: 2460*1310*1050mm
- Include: Filter System, Casters
- Highlight: **Three Tank Skymen Ultrasonic Cleaner, SUS304 Skymen Ultrasonic Cleaner, Rinsing Drying Industrial Ultrasonic Cleaner**



More Images



Product Description

Skymen Three Tank Ultrasonic Cleaner SUS304 For Cleaning Rinsing Drying

1	Model No.	JP-3072GH	
2	Image		
3	Ultrasonic model	Ultrasonic Frequency	28/40 kHz
		Material	Stainless Steel SUS304
		Tank Capacity	135L for each
		Timer	1~99hours adjustable
		Heater	20°C to 95°C adjustable
		Degas	Yes
		Semiwave	Yes
		Power Supply	AC 380 ~ 400V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
		Ultrasonic Power	3600 W
		Heating Power	4500 W*2
		Basket& cover	Standard equipped
4	Packing	Inner Tank Size	600*500*450mm (L x W x H)
		Package Size	2460*1310*1050mm(L*W*H)
		Warranty	1 year
5	Features	1. The stainless steel tank is wear-resistant and has a long working life. 2. With cleaning and drying function, 3. Equipped with a stainless steel basket cover. 4. Only use TAB water, or denatured alcohol and solvent cleaners for higher cleaning requirements 5. Ultrasonic cleaning fluids penetrate virtually any soil type including: oils, residues, solvents, pastes and chemicals and other contaminants are safely removed and dispersed, leaving a clean and particle-free surface appearance; even in crevices and internal holes.	
6	Application.	medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university lab, hardware tools shop.	
7	Certificates	CE/ROHS/FCC/PSE/ISO9001	

Features of three Tank Ultrasonic Cleaner :

1. Ultrasonic power adjustable
2. Original BLT type transducer

3. sus304 stainless steel water tank
4. continuous operation
5. Adjustable temperature controller
6. Ultrasonic power adjustable
7. Ultrasonic electron generator with independent control
8. Scan mode control available
9. Digital Timer and Heat Control
10. Boost and oil skimming available upon request

Application of three Tank Ultrasonic Cleaner :

- Scientific laboratories: eyeglass frames; laboratory glassware; optical and contact lenses; pipettes scientific instruments; test tubes
- Industrial manufacturing: components, gears, metal and plastic parts, precision bearings
- Electronic manufacturing: capacitors, ceramic substrates, PC boards, packaging components, quartz crystals
- Medical and Dental Laboratories: Spurs; Blood Oxygenators; Dental Instruments; Syringe Parts; Surgical Instruments
- Jewelry manufacturing: chains; armor; coins; intricate ornaments; precious metals and precious stones; watches

How ultrasonic cleaner works:

Thanks to special precision transducers, electrical energy is converted into mechanical vibrations. These vibrations are transmitted into the fluid through the stainless steel walls. This creates tiny vacuum bubbles that lead to successive implosions (cavitation). The resulting high-energy jet can effectively remove dirt from the surface of the material placed in the cleaning tank.

Using an ultrasonic cleaner in your kitchen will save time and reduce workload while providing a safe solution for your kitchen appliances. Ultrasonic cleaning machine with degreasing detergent can quickly and efficiently remove oil stains and polish on kitchen utensils.

When using ultrasonic cleaners on glassware, plasticware and your lab instruments. Whether you are cleaning oven trays, pans. Studies show it can be up to 30 times faster while delivering thoroughly clean results.

Pictures of three Tank Ultrasonic Cleaner:







Cleaning Tank

- 1 Power indicator
- 2 Time setting
- 3 Temp setting
- 4 Main switch
- 5 Ultrasonic ON
- 6 Heater ON/OFF
- 7 Filter ON/OFF

Rinsing Tank

- 8 Time setting
- 9 Temp setting
- 10 Ultrasonic ON
- 11 Ultrasonic OFF
- 12 Heater ON/OFF

Drying Tank

- 13 Time setting
- 14 Temp setting
- 15 Drying ON
- 16 Drying OFF
- 17 Heater ON/OFF
- 18 Alarm

FAQ:

Buying Guides

1. Choose suitable tank size based on cleaning objects, size can be customized
2. Choose suitable frequency, 40kHz for common use and 28kHz for heavy duty oil removal
3. Choose tank material based on solvent, SUS304 or SUS316L
4. Other function optional,

Ultrasonic cleaning tank + Ultrasonic Rinsing tank

Ultrasonic cleaning tank + Air agitation Rinsing tank

Ultrasonic cleaning tank + Water Rinsing tank

Ultrasonic cleaning tank + Hot air drying tank

Oil filtration system: detergent recycle use to save much cost



SkyMen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen