

## Industrial Ultrasonic Washing Machine 3000W Single Tank 264L

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China
- Brand Name: skymen/OEM
- Certification: CE/FCC/RHoS/REACH
- Model Number: JP-600ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: wooden case
- Delivery Time: In Stock
- Payment Terms: T/T, L/C, Paypal
- Supply Ability: 5000 units per week



### Product Specification

- Material: SUS 304/316
- Tank Capacity: 264L
- Tank Size: 800X600X5500 Mm
- Power Supply: AC 220V 3 Phase 50Hz / AC 380V, 3 Phase 50Hz
- Transducer: 60pcs
- Model: JP-600ST
- Highlight: Single Tank Ultrasonic Washing Machine, 264L Ultrasonic Washing Machine, Industrial Ultrasonic Cleaninf machine 3000W



### More Images



## Product Description

### 3000W Ultrasonic Power Single Tank Cleaning machine Industrial Washing Machine

#### Function:

Ultrasound is the most efficient and cost effective method of removing Carbon ,oil, rust ,build-up dirt

#### Features:

Dirt and oil could be removed in a short time by using the strong cavitation of ultrasound.

Time is adjustable among 1 second to 500 hours by simple handle of large timer.

Additional special case for small parts cleaning and drainage for changing of cleaning solution.

Automatic stopwatch to manage working time and maintenance time.

Standard residual-current circuit breaker: used for testing leakage power. And keeping moving of machine and cutting of power switch.

#### Specification:

|                  |  |
|------------------|--|
| Model            | JP-600ST                                     |
| Ultrasonic power | 3000W (60pcs transducers)                    |
| Frequency        | 40KHz / 28KHz                                |
| Housing material | SUS304                                       |
| Tank material    | SUS304 / 316                                 |
| Heating power    | 6000W  |
| Tank capacity    | 264L   |
| Timer            | Digital 1-99 min adjustable                  |
| Heater           | 0~80   |
| Voltage          | AC 220V, 3phase 50Hz<br>AC 380V, 3phase 50Hz |
| Tank size        | 800X600X550mm                                |
| Unit size        | 1080*855*850mm                               |
| Packing size     | 1240*915*970mm Wooden case                   |
| N.W.             | 130 Kg                                       |
| G.W.             | 160 Kg                                       |
| Certificate      | ISO9001:2008 CE & RoHS                       |

From 10 gallons to 200 gallons ,size could be customized

#### Images of this model:



#### The whole set machine including:

- 1\* cleaning machine
- 1\* lid
- 1\* basket

#### Similar models with different tank volume:


| Model | Tank size  | Volume | Ultrasonic Power | Heating Power | Transducer |
|-------|------------|--------|------------------|---------------|------------|
|       | L*W*H (mm) | (L)    | (W)              | (W)           | (pcs)      |

|           |               |      |       |        |        |
|-----------|---------------|------|-------|--------|--------|
| JP-120ST  | 500X300X250   | 38L  | 600W  | 1500W  | 12pcs  |
| JP-180ST  | 500X350X300   | 53L  | 900W  | 1500W  | 18pcs  |
| JP-240ST  | 550X400X350   | 77L  | 1200W | 3000W  | 24pcs  |
| JP-300ST  | 550X450X400   | 99L  | 1500W | 4500W  | 30pcs  |
| JP-301ST  | 800X300X400   | 96L  | 1500W | 4500W  | 30pcs  |
| JP-360ST  | 600X500X450   | 135L | 1800W | 4500W  | 36pcs  |
| JP-480ST  | 700X500X500   | 175L | 2400W | 6000W  | 48pcs  |
| JP-600ST  | 800X600X550   | 246L | 3000W | 6000W  | 60pcs  |
| JP-720ST  | 1000X600X600  | 360L | 3600W | 9000W  | 72pcs  |
| JP-1108ST | 1000X900X600  | 540L | 5400W | 18000W | 108pcs |
| JP-1144ST | 1200X1000X800 | 960L | 7200W | 27000W | 144pcs |


### How does Ultrasonic Cleaner work?

#### DIRT ELIMINATION PROCESS THROUGH ULTRASONIC TECHNOLOGY


- Cleaning effect will be much better if using the machine together with proper solvent.



As ultrasonic wave through the solution in the tank, cause alternating high and low pressures in the solution.



During the low pressure stage, millions of microscopic bubbles form and grow. This process is called "CAVITATION".



During the high pressure stage, the bubbles implode releasing enormous amounts of energy. They work in all directions, attacking surface and invading all recesses and openings.

### About SKYMEN ultrasonic cleaner :

We are a factory located in Shenzhen since 2007 with over 200 employees, dedicatedly manufacture a wide range of ultrasonic cleaner, main customers from industry for tools cleaning, hardware cleaning and other metal parts cleaning. Skyman is our brand. And we get BSCI, ISO9001, CE, RoHS, REACH, FCC, KC, etc.

OEM/ODM/Customized machine

Skyman have 10 years experience in specially designing ultrasonic cleaner according to customer's requirement.

### Package by polywooden case:

### Before and after :





86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen