

## Skymen Submersible Ultrasonic Transducer , Ultrasonic Cleaning Device

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)


### Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE
- Model Number: JTM-1030
- Minimum Order Quantity: 1pcs
- Price: Negotiation
- Packaging Details: 1pcs /color box, 4pcs/carton
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 6,000pcs per month








### Product Specification

- Product Name: Ultrasonic Transducer Box And Generator
- Product Include: 1 Transducer Box + 1 Generator
- Ultrasonic Transducer Box Size (mm): 550X400X100mm(LxWxH), can Be Customized
- Ultrasonic Generator Power: 1500W
- Ultrasonic Transducer: 30pcs
- Transducer Box Material: SUS304/316L
- Highlight: ultrasonic generators and transducers, submersible ultrasonic transducer, Skymen Submersible Ultrasonic Transducer



### More Images



### Product Description

**Skymen CE confirmed SUS304/316L submersible ultrasonic transducer box generator**

#### Specifications:

JTM-1030  
Ultrasonic transducer box size (mm):550x400x100(LXWXH)  
Housing material: SUS304/SUS316L  
Surface finishing: Hard-Cr plating treatment (20+microns)

Our Product

Ultrasonic frequency: 28KHz / 40KHz  
 Ultrasonic transducers: 30pcs  
 Ultrasonic power: 1500W  
 Electronic generator: KG1500, Ultrasonic generator work separately control transducers  
 power supply: AC 110V/220V or 220/240V, 1,13AMP

Model (JTM models)	JTM-1006	JTM-1012	JTM-1018	JTM-1024	JTM-1030	JTM-1036
Ultrasonic transducer box size (mm)	L 305	355	406	500	550	500
	W 250	305	305	355	400	460
	H 100	100	100	100	100	100
Housing material	SUS304/SUS316L					
Surface finishing	Hard-Cr plating treatment (20+microns)					
Ultrasonic frequency	28KHz / 40KHz/68kHz etc.					
Ultrasonic transducers	6pcs	12pcs	18pcs	24pcs	30pcs	36pcs
Ultrasonic power	300W	600W	900W	1200W	1500W	1800W
Electronic generator	KG300	KG600	KG900	KG1200	KG1500	KG1800
	Ultrasonic generator work separately control transducers					
power supply	AC 110V/220V or 220/240V, 1,13AMP					
	*Custom made:68KHz/80KHz/120KHz and size are all available					

**Description:**

Original BLT type transducer  
 SUS stainless steel housing Hard-Cr plating Treatment ( 20 + microns )  
 Adaptable for continuous operation  
 Adjustable ultrasonic power  
 With separate control ultrasonic electronic generator  
 Custom made size is available  
 Transducer no./transducer box: range[6pcs~40pcs per box]  
 Ultrasonic power: range[300W~2000W]  
 Ultrasonic frequency: 28KHZ/40KHz

**Advantages:**

Material: SUS304/316L with 2.5mm thickness  
 Durability and resistance: coated with Hard Chrome plating  
 High intensity and efficiency BLT type transducers  
 Easy and convenient to put in different tanks  
 Various install methods:  
 Place on wall (flexible/rigid tube or flange hole)  
 Place on corner (suitable in the absence of lateral space)  
 Place on bottom (flexible/rigid tube or flange hole)  
 Separate generator control with pulse, sweep and remote control  
 SUS stainless steel housing Hard-Cr plating Treatment ( 20 + microns )  
 Reliability, durability and consistent performance over time  
 Each immersible box is supplied with 5meters cable  
 Double frequency is available, typically 40/80kHz

**Applications:**

Industry	Cleaning objects
machinery	Moulds, precision parts, pressing parts, camera parts, bearing, hardware tools
electronics	PCB board, electronic parts, TV parts, computer parts
Auto industry	engine parts, gear box, shock absorber, auto nozzle, cylinder, valve
Plating& painting	polishing parts, SUS cutter, tableware, plating
Food industry	Oven tray, boiler, bottles, bottle cap, filters
Optical& watch maker	optical lens, eyeglass, sunglass, metal, gold, jewelry, diamond, watch band, watch cover, watch hand
others	seal, flapper, coins, pottery, bank card, IGBT

**Quality control:**

Raw Material Inspection:  
 QC and engineers would make strict inspection of the raw material step by step to ensure quality product.  
 Sales checking:  
 We salesman would also check the production process to ensure machine 100% according to the sample  
 100% product inspection:  
 100% products checking during production, Each unit would be under testing at least 2 days before packed.  
 We always try to do perfect:  
 Everyone in Skymen would try best to solve problems together with you.

**Company File:**

Skymen Cleaning Equipment Shenzhen Co., Ltd., which engaged in ultrasonic cleaner field for more than 8 years. Our main products are ultrasonic cleaner with different capacity.  
 The company is a famous ultrasonic manufacturer with R&D, production and sales. High quality product and after sales services is available from us.  
 Not only standard ultrasonic cleaner, any non-standard can be design by our engineer.  
 Suggestion and drawing is professional for you.  
 Welcome to visit our factory, provide your precious guidance and conduct business negotiation.

**FAQ:**

Q: What are the advantages of Skymen ultrasonic cleaner over traditional cleaning methods?  
 A: 1.minimize the use of manual labor  
 · 2.make cleaning and degreasing without the use of organic solvents  
 · 3.clean hard to reach areas of products and remove all types of dirt  
 · 4.shorten the processes such as extraction, dispersion, purification, chemical reactions  
 · 5. eliminates costly mechanical and chemical cleaning of heat exchangers

Q: What frequency is better for my parts?

A: Frequency is suggested based on pollutants in the objects.

28kHz frequency is stronger, better for car/motor/truck/vessel parts clean (remove oils, grease, pastes, etc.)

40kHz is better for pcb boards, electronic parts, etc.

Higher precision goods, higher frequency.

Q: Can ultrasonic cleaning damage parts?

A: Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe.

No damage to your daily objects.

Q: What cleaning solution should I use?

A: A large variety of different formulas designed for specific applications. Proper selection is crucial for acceptable cleaning activity and to prevent unwanted reactions with the workpiece.

Q: Is rinsing after cleaning cycles?

A: Rinsing is recommended to remove any chemical residue that could be harmful to the part. Details can be rinsed right in your ultrasonic cleaner or in a clean water bath or in a separate sink tap, distilled or deionized water.

Q:How about after sales services?

A: 1 Year warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen