

# **Automotive Ultrasonic** Cleaner

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Negotiation • Packaging Details:
- Delivery Time:
- 1sets/ wooden case In Stock

Paypal / T/T / western Union

6,00pcs per month

China

CE

1pcs

Skymen

JTS-1072

- Payment Terms:
- Supply Ability:



# **Product Specification**

- Product Name:
- · Capacity:
- Ultrasonic Cleaner 360 Liter 3600W
- Ultrasonic Power:
- Ultrasonic Frequency:
- Feature:
- Standard:
- Application:
- Highlight:
- 28/40kHz
- Power Adjustable; With Filtration System
- CE
- Heavy Oil And Carbon Removing
- automotive ultrasonic cleaner, ultrasonic cleaning device, 360 liter Automotive Ultrasonic Cleaner

### 3600W High Power Industrial Ultrasonic Cleaner For Removing Dirt And Oil Off Automotive Parts JTS-1072

### **Description:**

Adjustable ultrasonic power Original BLT type transducer SUS304/316L tank Adaptable for continuous operation Adjustable thermo controller Sweep mode control available Digital timer control Boost mode& oil skimmer upon client's requirement Pressure pump and filter system are available Adjustable ultrasonic power With separate control ultrasonic electronic generator

#### Applications:

Ultrasonic cleaner for car parts washing, engine block cleaning, workshop sonic bath cleaning.

#### Specifications:

JTS-1072
1000*600*600(L*W*H)
1180*780*720(L*W*H)
360L
SUS304 / SUS316
Hard-Cr Plating Treatment (20+ microns)
Stainless steel
28kHz / 40kHz
72pcs
3600W
KG3600
9KW
oil filtration system, pneumatic lift

### **Competitive Advantage:**

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second polution and better cleaning effects. Skymen JTS Series:

,								
Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072		JTS-1108		JTS - 114 4
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600		1000×900	x600	120 0x1 000 x80 0
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950		1240x1140x950		144 0x1 240 x11 50
MAX. CAPACITY	101L	126L	295L	360L	540L			960 L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)							
CONSTRUCTION TANK	SUS 304 / 316L							
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W 7200W		200W	
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz							
MAX. HEATING TEMP.	20~80C ADJUSTABLE							
HEATING POWER	зкw	4.5KW	6KW	9KW	12KW	24	1KW	
TIMER	0~30min adjustable							
DRAIN	3/4" VALVE							
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304							
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3							

GENERATOR'S			
POWER	AC110V/ 220V / 240V, 1		
REQUIREMENT			
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL		
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE;		
FEATURES	1 YEAR WARRANTY		
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER,		
Optional	OIL CATCH CAN)		

skymen Technology Corporation Limited								
C	86-755-27094405	info@skymen.cc	skymenultrasonic.com					
Floor 1st & 2nd, Bu	0 0 0 0	Industrial Park, Dawangs District, Shenzhen	han Community, Shajing Street, Bao'an					