



## Repair Store Use Industrial Ultrasonic Cleaner With Seperate Generator JTS-1060

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1set
- Price: Negotiation
- Packaging Details: 1sets/ wooden case
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600pcs per month



#### Product Specification

- Product Name: Ultrasonic Cleaner
- Application: Heavy Oil And Carbon Removing
- Capacity: 300 Liter
- Ultrasonic Power: 3000W
- Ultrasonic Frequency: 28/40kHz
- Timer: 1~99 Hours
- Feature: Power Adjustable
- Standard: CE
- Highlight: **automotive ultrasonic cleaner, ultrasonic cleaning device, auto parts Industrial Ultrasonic Cleaner**



## Product Description

### Repair Store Use Industrial Ultrasonic Cleaner With Seperate Generator JTS-1060



#### Applications:

-Ultrasonic auto parts cleaner for car parts washing, engine block cleaning, workshop sonic bath cleaning. Ideal to clean rust, carbon, paint, heavy oil, without damage to parts inside tank with suitable cleaning liquid.

#### Competitive Advantage:

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.

PCB Board: manufactured by Skyman factory, more stable

#### Specifications:

Model	JTS-1060
Tank's working dimension (mm)	800*600*550(L*W*H)
Overall dimension (mm)	900*850*1000(L*W*H)
Tank's total capacity	264L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment ( 20+ microns )
Housing's material	Stainless steel
Ultrasonic frequency	28kHz / 40kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW

**Tank size also can be customized based on your requirement.**

#### Description:

Adjustable ultrasonic power

Original BLT type transducer

SUS304/316L tank

Adaptable for continuous operation

Adjustable thermo controller

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Sweep mode control available  
 Digital timer control  
 Boost mode& oil skimmer upon client's requirement  
 Pressure pump and filter system are available

**Skymen JTS Series:**

Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1000x800
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1240x1150
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20~80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0~30min adjustable					
DRAIN	¾" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3					
GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1					
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL					
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY					
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)					

**Quality control:**

Raw Material Inspection:  
 QC and engineers would make strict inspection of the raw material step by step to ensure quality product.  
 Sales checking:  
 We salesman would also check the production process to ensure machine 100% according to the sample  
 100% product inspection:  
 100% products checking during production, Each unit would be under testing at least 2days before packed.  
 We always try to do perfect:  
 Everyone in Skymen would try best to solve problems together with you.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen