Our Product Introduction

Skymen Technology Corporation Limited skymenultrasonic.com

Custom Ultrasonic Injector Cleaning Machine Mini Ultrasonic Cleaner

Basic Information

. Place of Origin: China (Mainland)

. Brand Name: Skymen CE RoHS · Certification: JP-010S Model Number: • Minimum Order Quantity: 1pcs • Price: Negotiation

 Packaging Details: 1pcs / carton (27*27*29cm)

• Delivery Time: In Stock

Payment Terms: T/T, Western Union, Paypal, L/C

. Supply Ability: 3000pcs per month



Product Specification

SUS304 • Material: . Tank Capacity:

150*135*100mm Tank Size:

Ultrasonic Power: 60W 50W . Heating Power: • Timer: 0-30 Min Heater: 20-80 Degree • N.W. / G.W.: 2.2kg / 3.0kg

• Highlight: skymen ultrasonic cleaner,

ultrasonic bath cleaner,

Skymen Ultrasonic Injector Cleaning Machine

Product Description

Stainless steel benchtop ultrasonic cleaner for injector clean

Product description:

Digital 2L mini ultrasoni cleaner JP-010S (with digital Timer & Heater) Making the object like a new one Do not damage parts 1 year warranty OEM & ODM available Certificates: CE & RoHS

Ultrasonic cleaner applications:

Jewelry industry, medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university, dental clinics, eyeglass shop, hardware tools shop































Ultrasonic cleaner specifications:

Model	JP-010S
Tank capacity	2L
Tank size	15*13.5*10cm
Unit size	17.5*16*21cm
Box packing	25.5*24.5*27.5cm
Ultrasonic power	60W
Heating power	50W
Timer	1~30min adjustable
Heater	20~80°c adjustable
Frequency	40KHz
N.W.	2.2kg
G.W.	4kg

Ultrasonic cleaner features:

- 1. stainless steel tank has resistance to wear and long work life.
- 2. tank capacity: 2L (0.5gallon), with digital timer & heater control.
- 3. with Stainless steel basket.
- 4. Use tab water, orindustrial alcohol and solvent cleaner for more higher cleaning requirement.
- 5. industrial control chip microcontroller.flexible circuit boards control, more secure & stable.
- 6. temperature tunable from 20 $^{\circ}\text{C}$ to 80 $^{\circ}\text{C}$.
- 7. certification:CE&RoHS

Packing info:

1 pcs / carton (27*27*29cm)







86-755-27094405

info@skymen.cc

skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen