

CE Skymen Multi Frequency Ultrasonic Cleaner Stainless Steel 360 Liters

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE
- Model Number: JTS-1072
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: wooden case for outer packing
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600 units per month



Product Specification

- Product Name: Multi Frequency Ultrasonic Cleaner
- Capacity: 360 Liter
- Ultrasonic Power: 3600W
- Ultrasonic Frequency: 28 And 40kHz
- Timer: 1~99 Hours
- Standard: CE
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic cleaning unit, 360 Liters Multi Frequency Ultrasonic Cleaner**

for more products please visit us on skymenultrasonic.com

Product Description

Skymen CE Customized Multi Frequency Ultrasonic Cleaner 360 Liters

Applications:

Skymen Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

Competitive Advantage:

1. With 28KHZ & 40KHz frequency, different objects use different Freq. to get best cleaning result.
2. Material : SUS304/316L with 2mm thickness
3. 15 years experience engineer will design the machine for you
4. Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.
5. PCB Board: manufactured by Skymen factory, more stable

Specifications:

Model	JTS-1072
Tank's working dimension (mm)	1000x600x600 (L*W*H)
Overall dimension (mm)	1210x780x1000 (L*W*H)
Tank's total capacity	360L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz & 40kHz
Ultrasonic transducer	72pcs
Ultrasonic output power (MAX.)	3600W
Electronic generator	KG1800
Heater's (hot plate) power	12KW

Description:

Adjustable ultrasonic power
 Original BLT type transducer
 SUS304/316L tank
 Adaptable for continuous operation
 Adjustable thermo controller
 Adjustable ultrasonic power
 With separate control ultrasonic electronic generator
 Sweep mode control available
 Frequency is optional
 With oil filtration system. skim oil from surface of liquid, prevent secondary pollution.

Skymen JTS Series:

Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1000x800
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1240x1150
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20~80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0~99hours adjustable					
DRAIN	3/4" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3pahses					
GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1phase					
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL					
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY					
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)					



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com