



Customized Ultrasonic Car Parts Cleaner with Filtration JTS-1060

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: wooden case for outer packing
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600 units per month



Product Specification

- Product Name: Multi Frequency Ultrasonic Cleaner
- Timer: 1~99 Hours
- Heater: 20-80c Adjustable
- Tank Material: SUS304/SUS316L
- Tank Size: Customized Availale
- Ultrasonic Frequency: 40kHz And 80kHz
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic washing machine**

for more products please visit us on skymenultrasonic.com

Product Description

Multi Frequency Ultrasonic Cleaner For Car Parts Cleaning with filtration JTS-1060

The machine can be effectively used to clean car parts, engine block, cylinder heads, oil filter, etc.

--Tank size of the machine can be customized according to your requirements.

--Frequency can be 28khz, 40khz, 80khz, 28+40khz, 25+40khz, 40+80khz, etc. according to the cleaning objectives.

--For heavy duty oil removing, oil filter system is suggested to recycle the solvent and prevent the second pollution.

Package included:

- 1 x ultrasonic tank
- 1 x sus lid
- 1 x sus basket
- 1 x power cord
- 1 x English instruction manual

Competitive Advantage:

1. With double frequency, 40kHz & 80kHz to clean different objects and get best cleaning result.
2. Material : SUS304/316L with 2mm thickness
3. 15 years experience engineer will design the machine for you
4. Filtration System is optional: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.
5. PCB Board: manufactured by Skymen factory, more stable

Specifications:

Model	JTS-1060
Tank's working dimension (mm)	800x600x500 (L*W*H)
Overall dimension (mm)	980x780x720 (L*W*H)
Tank's total capacity	240L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz & 40kHz / 40kHz & 80kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW

Description:

- Adjustable ultrasonic power
- Original BLT type transducer
- SUS304/316L tank
- Adaptable for continuous operation
- Adjustable thermo controller
- Adjustable ultrasonic power
- With separate control ultrasonic electronic generator
- Sweep mode control available
- Frequency is optional

Skymen JTS Series:

Tank size can be design based on your requirement.

Double frequency can be 28kHz & 40kHz, 40kHz & 80kHz.

Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1000x800
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1240x1150
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20~80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0~99hours adjustable					
DRAIN	¾" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					

CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3pahses
GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1phase
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen