

# 120L Small Skymen Ultrasonic Cleaning Machine with Sus Basket , 28khz 40khz

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: Paypal / T/T / western Union
- Supply Ability:



# **Product Specification**

- Optional:
- Frequency:
- Ultrasonic Power:
- Timer:
- Special:
- Warranty:
- Highlight:

Rising Tank, Drying Tank

600 units per month

- 28khz And 40kzh
- Customized

China

CE

1unit

Skymen

JTS-1036

Negotiation

In Stock

wooden case for outer packing

- 1-99 Hours Adjustable
- Dual Frequency
- 1 Year
- dual frequency ultrasonic cleaner, ultrasonic washing machine

Our Product Introduction

## Double Frequency Ultrasonic Cleaner 28khz And 40khz 120L with sus basket JTS-1036

Dual frequency 25khz+45khz; 28khz+40khz; 40khz+80khz, etc. are available. The machine is customized and certified with CE. If need, rising tank or drying tank is optional based on customer's needs.

#### Applications:

Skymen Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

## Brief introducton:

The machine can be effectively used to clean car parts, engine block, cylinder heads, oil filter, etc.

- --Tank size of the machine can be customized according to your requirements.
- --Frequency can be 28khz, 40kzh, 80khz, 28+40khz, 25+40khz, 40+80khz, etc. according to the cleaning objectives.
- --For heavy duty oil removing, oil filter system is suggested to recycle the solvent and prevent the second pollution.

### **Description:**

Adjustable ultrasonic power Original BLT type transducer SUS304/316L tank Adaptable for continuous operation Adjustable thermo controller Adjustable ultrasonic power With separate control ultrasonic electronic generator Sweep mode control available Frequency is optional

### Specifications:

	· · · · · · · · · · · · · · · · · · ·
Model	JTS-1036
Tank's working dimension (mm)	500x460x550 (L*W*H)
Overall dimension (mm)	710x640x770 (L*W*H)
Tank's total capacity	126L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz & 40kHz / 40kHz & 80kHz
Ultrasonic transducer	36pcs
Ultrasonic output power (MAX.)	1800W
Electronic generator	KG1800
Heater's (hot plate) power	4.5KW

#### Package included:

- 1 x ultrasonic tank
- 1 x sus lid
- 1 x sus basket
- 1 x power cord
- 1 x English instruction manual

#### **Competitive Advantage:**

With double frequency, different objects use different Freq. to get best cleaning result.

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second polution and better cleaning effects.

PCB Board: manufactured by Skymen factory, more stable

#### Skymen JTS Series:

			,					
Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144		
TANK	500x406x50	500x460x55	700x650x650	1000x600x60	1000×900×600	1200x1000x800		
DIMENSION(mm)	0	0	100x050x050	0				
OVERALL	680x586x85	680x640x90	900x850x100	1200x800x95	200x800x95			
DIMENSION(mm)	0	0	0	0	1240211402950	14402124021150		
MAX. CAPACITY	101L	126L	295L	360L	540L	960L		
CONSTRUCTION	ELIE 204 (MI	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)						
CASE	303 304 (101							
CONSTRUCTION	CUC 204 / 24	SUS 304 / 316L						
TANK	505 304 / 310L							

ULTRASONIC	1500W	1800W	3000W	3600	5400W	7200W	
POWER(MAX.)				w			
ULTRASONIC	28kHz/40kH	z/68kHz/80kl	Hz/120kHz				
FREQUENCY							
MAX. HEATING TEMP.	20~80C ADJUSTABLE						
HEATING POWER	зкw	4.5KW	6KW	9KW	12KW	24KW	
TIMER	0~99hours adjustable						
DRAIN	¾" VALVE						
LID & BASKET	TAKE-OFF	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S	AC2201//380	AC220V/380V/415V/440V. 3 <b>pahses</b>					
POWER REQUIREMENT	A02200/300	AC220V/360V/415V/440V. 3parises					
GENERATOR'S							
POWER	AC110V/22	0V / 240V, 1	ohase				
REQUIREMENT							
GENERATOR	WITH SWEE	WITH SWEEP MODE AND REMOTE CONTROL					
FEATURES MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY							
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)						
Warranty & Shipment: Warranty: 1 year and t Shipment: 1unit/woode Shipping by sea or by	tech suppo en case						
		skymen	Skyr	nen Te	chnolo	gy Corporatio	n Lir

C	86-755-27094405	info@skymen.cc	e skymenultrasonic.com
Floor 1st & 2nd,	Building 3, Tanggang Ta	ifeng Industrial Park, Daw District, Shenzhen	rangshan Community, Shajing Street, Bao'an