

Printhead Benchtop Ultrasonic Cleaner 3L

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China (Mainland)
- Brand Name: SkyMen
- Certification: CE RoHS
- Model Number: JP-020S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1 pcs / carton (36*28*32cm)
- Delivery Time: In Stock
- Payment Terms: L/C, T/T, Western Union, Paypal
- Supply Ability: 3000pcs per month

PRODUCT PHOTO
1 Angle of 45-degrees display
Circuitry/Hardware parts/Circuit Board/Laboratory/Chemistry



Product Specification

- Ultrasonic Power: 120W
- Heating Power: 100W
- Timer: 0-30 Min
- Heater: 20-80 Degree
- Tank Capacity: 3.2L
- Tank Size: 240*135*100mm
- Material: SUS304
- Ultrasonic Frequency: 40KHz
- Highlight: ultrasonic bath cleaner,
table top ultrasonic cleaner

2 Multi-directional
Circuitry/Hardware parts/Circuit Board/Laboratory/Chemistry



More Images

3 Side view
Circuitry/Hardware parts/Circuit Board/Laboratory/Chemistry



4 Insulated Handle
Circuitry/Hardware parts/Circuit Board/Laboratory/Chemistry



5 Back View
Circuitry/Hardware parts/Circuit Board/Laboratory/Chemistry



Product Description

3L Lab Use Ultrasonic Cleaner Bath

Product description:

Skymen lab use ultrasonic cleaner bath
Having great effect for cleaning and sterilizing
Making the object like a new one
Hands free, enjoy life!
OEM and OEM available

Ultrasonic cleaner specifications:

Model	JP-020S
Ultrasonic Frequency	40,000 Hz
Material	Stainless Steel SUS304
Tank Capacity	3.2 L
Timer	1-30minutes ,Digital timer
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	120W
Heating Power	100 W , Digital Heating
Unit Size	265 x 165 x 220 mm (L x W x H)
Tank Size	240 x 135 x 100 mm (L x W x H)
Package Size	360 x 280 x 320 mm (L x W x H)
N.W.	3.5 kg
G.W.	4.5 kg



Model: JP-020S

New upgrade

Slope design and easily operate

Tank size: 240*150*100mm

Ultrasonic power: 120W

Heating power: 100W

Ultrasonic cleaner features:

1. Stainless steel tank has resistance to wear and long work life.
2. Tank capacity: 3.2L (0.75gallon), with digital timer & heater control

3. With Stainless steel basket
4. Use tap water, industrial alcohol and solvent cleaner for more higher cleaning requirement
5. Industrial control chip microcontroller, flexible circuit boards control, more secure & stable
6. Temperature tunable from 20°C to 80°C
7. Certification: CE & RoHS



Insulation handle design

Insulation handle design ,
anti - static , anti - high
temperature , not slippery
hand , more secure .

Applications:

(1) industrial application:

professionally applied in car workshops, diesel work shops, plating factory, electronics factory, molding factory, electronics workshops, tattoo shops, scientific & bio-chemical laboratory, hospital and dental clinics, jewelry shops, antique shops, and electronics workshops, golf clubs, etc.


COMPARISON OF CLEANING EFFECT



(2) household and personal use to clean:

1. LPs records, Printer inkjet-heads, seals, ancient coins, badges, valves, machine nozzles,
2. Silverware, bronze ware, antiques, Jewelry, rings, diamond, bracelets, watches
3. eyeglasses, sunglasses, optical lenses, tattoo instruments, and piercing.
4. Men's shaver head, razors, dentures, combs, toothbrushes, and dining appliance.
5. Baby nipples, baby feeder bottles, tableware, fruit, vegetables

EFFECT OF CONTRAST



Packing info:

1 pcs / carton (36*28*32cm)



Other products

Model	Tank size	Ultrasonic power	Heating power
JP-031S	300*150*150	180W	200W
JP-040S	300*240*150	240W	200W
JP-060S	330*300*150	360W	300W
JP-100S	500*300*200	600W	500W



Digital Touch Control Panel

Skyemen specialize in ultrasonic cleaners manufacturing since 2017

CE/ROHS/FCC/PSE/ISO9001



Skyemen Technology Corporation Limited

☎ 86-755-27094405

✉ info@skymen.cc

🌐 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen