

Basic Information

. Place of Origin: China Skymen . Brand Name: CE · Certification: Model Number: JTM-1024 • Minimum Order Quantity: 1 set • Price: Negotiation

 Packaging Details: packing by box or wooden case; the packing

size decides by the machine

• Delivery Time:

• Payment Terms: Western Union, L/C, T/T, Paypal

. Supply Ability: 600 sets per month







Product Specification

Model: JTM-1024

Transducer Box: 500x355x100mm

SUS304 • Material: 28KHz/40KHz • Frequency: Available: **CE** Certificate Warranty: 1 Year

• Highlight: submersible ultrasonic transducer, ultrasonic extraction equipment

Product Description

Skymen Professional Waterproof Submersible Transducer

Production description: Specification details:

Ultrasonic transducer box size (mm):500x355x100(LXWXH)

Housing material: SUS304/SUS316L

Surface finishing: Hard-Cr plating treatment (20+microns)

Ultrasonic frequency: 28KHz / 40KHz Ultrasonic transducers: 24pcs

Ultrasonic power: 1200W

Electronic generator: KG1200, Ultrasonic generator work separately control transducers

power supply: AC 110V/220V or 220/240V, 1,13AMP

Transducer pack Specifications:

Model (JTM models)		JTM- 1006	JTM- 1012	JTN	<i>I</i> I-1018	JTM- 1024	JTM- 1030	JTI	И-1036
Ultrasonic transducer box size (mm)	L	305	355	406	i	500	550 500)
	W	250	305	305	i	355	406	460	
	Н	100	100	100		100	100	100	
Housing material	SUS304/SUS316L								
Surface finishing	Hard-Cr plating treatment (20+microns)								
Ultrasonic frequency	28KHz / 40KHz								
Ultrasonic transducers	6рс	s	12pcs		18pcs	24pcs	30pcs		36pcs
Ultrasonic power	300)W	600W		900W	1200W	1500W		1800W
Electronic generator	KG	G300 KG600			KG900	KG1200	KG1500		KG1800
	Ultrasonic generator work separately control transducers								
power suppy	AC 110V/220V or 220/240V, 1,13AMP								
*Custom made:68	KH:	z/80KHz/1	20KHz and	siz	e are all	available			

Features:

Original BLT type transducer

SUS stainless steel housing Hard-Cr plating Treatment (20 + microns)

Adaptable for continuous operation

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Custom made size is available

Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W] Ultrasonic frequency: 28KHZ/40KHz

Introduction of Skymen ultrasonic generator & transducer box

- 1. Skymen immersible ultrasonic transducer box-embedded in your existing tank.
- 2. Good quality-custom made size-chemicals resistance-moveable-convenient install.
- 3. JTM series immersible ultrasonic transducer system includes transducer box and generator. It can be used when the standard model ultrasonic cleaner is inapplicable in the specific working conditions, besides may have the special specification made to order.
- 4. The transducer box and generator are separate but work together to operate ultrasonic cleaning process with transducer box immersible mounted in fluid tank. The transducer box is moveable in the tank for more convenience.
- 5. The number and placement of transducers is selected to give maximum results in any parts cleaning tank with any cleaning load.

Immersible ultrasonic transducer units can be installed in the tank by three ways:

- 1. side mounted
- 2. bottom mounted
- 3. top mounted

Skymen will design proper mounted way for you according to your requirements and existing tank specifications.





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen