



Skymen Submersible Ultrasonic Transducer Generator With Rigid Tube

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE
- Model Number: JTM-1024
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: packing by box or wooden case; the packing size decides by the machine
- Delivery Time: In Stock
- Payment Terms: Western Union, L/C, T/T, Paypal
- Supply Ability: 600 sets per month



Product Specification

- Model: JTM-1024
- Ultrasonic Power: 1200W
- Warranty: 1 Year
- Available: CE
- Feature: Cr+ Plating
- Transducer Number: 24pcs
- Highlight: **ultrasonic generators and transducers, submersible ultrasonic transducer**



for more products please visit us on skymenultrasonic.com

Product Description

SKYMEN Submersible Ultrasonic Transducer Generator With Rigid Tube

Production description:

JTM-1024

Specification details:

Ultrasonic transducer box size (mm):500x355x100(LXWXH)

Housing material: SUS304/SUS316L

Surface finishing: Hard-Cr plating treatment (20+microns)

Ultrasonic frequency: 28KHz / 40KHz

Ultrasonic transducers: 24pcs

Ultrasonic power: 1200W

Electronic generator: KG1200, Ultrasonic generator work separately control transducers

power supply: AC 110V/220V or 220/240V, 1,13AMP

Transducer pack Specifications:

Model (JTM models)	JTM-1006	JTM-1012	JTM-1018	JTM-1024	JTM-1030	JTM-1036	
Ultrasonic transducer box size (mm)	L	305	355	406	500	550	500
	W	250	305	305	355	406	460
	H	100	100	100	100	100	100
Housing material	SUS304/SUS316L						
Surface finishing	Hard-Cr plating treatment (20+microns)						
Ultrasonic frequency	28KHz / 40KHz						
Ultrasonic transducers	6pcs	12pcs	18pcs	24pcs	30pcs	36pcs	
Ultrasonic power	300W	600W	900W	1200W	1500W	1800W	
Electronic generator	KG300	KG600	KG900	KG1200	KG1500	KG1800	
	Ultrasonic generator work separately control transducers						
power supply	AC 110V/220V or 220/240V, 1,13AMP						
*Custom made:68KHz/80KHz/120KHz and size are all available							

Features:

Original BLT type transducer

SUS stainless steel housing Hard-Cr plating Treatment (20 + microns)

Adaptable for continuous operation

Adjustable ultrasonic power

With separate control ultrasonic electronic generator


Custom made size is available

Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W]

Ultrasonic frequency: 28KHz/40KHz

TYPICAL APPLICATIONS





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen