

Custom 28khz Submersible Ultrasonic Transducer Cleaner For Car Parts

Basic Information

Place of Origin: ChinaBrand Name: SkymenCertification: CE

Model Number: JTM-1036IMinimum Order Quantity: 1 setPrice: Negotiation

 Packaging Details: Packing size: 430x280x380mm(LxWxH) for 1pcs; packed by box and foam; 18pcs per

СВМ

• Delivery Time: In Stock

• Payment Terms: Western Union, L/C, T/T, Paypal

• Supply Ability: 600 sets per month



Product Specification

Model: JTM-1036Warranty: 1 Year

• Ultrasonic Frequency: 20 / 22 / 28 / 40 / 68kHz

• Ultrasonic Power: 1800W

Material: SUS304 / 316LFeature: Cr+ Plating

• Highlight: Car Parts Submersible Ultrasonic Transducer,

SUS316L Immersible Ultrasonic Transducer,

28khz Submersible Level Sensor



More Images





Product Description

Custom 28khz Submersible Ultrasonic Transducer Cleaner For Car Parts

28khz Submersible Ultrasonic Transducer Box And Generator For Car Parts Cleaning

Production description:

JTM-1036I

Specification details:

Ultrasonic transducer box size (mm):500x460x100(LXWXH)

Housing material: SUS304/SUS316L

Surface finishing: Hard-Cr plating treatment (20+microns)

Ultrasonic frequency: 28KHz / 40KHz Ultrasonic transducers: 36pcs Ultrasonic power: 1800W

Electronic generator: KG1800, Ultrasonic generator work separately control transducers

power supply: AC 110V/220V or 220/240V, 1,13AMP

Features

Original BLT type transducer

SUS stainless steel housing Hard-Cr plating Treatment (20 + microns)

Adaptable for continuous operation Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Custom made size is available

Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W]

Introduction of Skymen ultrasonic generator & transducer box

- 1. Skymen immersible ultrasonic transducer box-embedded in your existing tank.
- 2. Good quality-custom made size-chemicals resistance-moveable-convenient install.
- 3. JTM series immersible ultrasonic transducer system includes transducer box and generator. It can be used when the standard model ultrasonic cleaner is inapplicable in the specific working conditions, besides may have the special specification made to order.
- 4. The transducer box and generator are separate but work together to operate ultrasonic cleaning process with transducer box immersible mounted in fluid tank. The transducer box is moveable in the tank for more convenience.
- 5. The number and placement of transducers is selected to give maximum results in any parts cleaning tank with any cleaning load.

Immersible ultrasonic transducer units can be installed in the tank by three ways:

- 1. side mounted
- 2. bottom mounted
- 3. top mounted

Skymen will design proper mounted way for you according to your requirements and existing tank specifications.

Packing & delivery details:

Packing , loading, delivery time	
Packing unit	1set/wooden case
Packing method	Export wooden case
Loading port	Shenzhen
Delivery time	About 15 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea

The picutre of immersible ultraosnic pack



How to use an immersible tranducer:

Just put the immersible tansducer pack ino thte tank ,and the tank becoming an ultrasonic cleaning mahcine.







Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen