Our Product Introduction

### **Industrial Flexible Submersible Ultrasonic Transducer and Generator**

### **Basic Information**

. Place of Origin: China . Brand Name: Skymen CE · Certification: JTM-1012 Model Number: • Minimum Order Quantity: 1 set

• Price: Negotiation


 Packaging Details: packing by box or wooden case; the packing

size decides by the machine

• Delivery Time: In Stock

• Payment Terms: Western Union, L/C, T/T, Paypal

• Supply Ability: 600 sets per month



## **Product Specification**

600W . Ultrasonic Power: Warranty: 1 Year

28KHz/40KHz • Frequency: SUS304 / 316L • Material: JTM-1012 Model: Certificate:

Highlight: submersible ultrasonic transducer, ultrasonic extraction equipment

### **Product Description**

#### Industrial Flexible Submersible Ultrasonic Transducer & Generator

#### Production description:

Transducer pack size is custom made

CE approved

Engineer is available

1 year warranty---free parts can be sent if any quality problem

Lead time: 8~15 days

#### Features:

Original BLT type transducer

SUS stainless steel housing Hard-Cr plating Treatment ( 20 + microns )

Adaptable for continuous operation

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Custom made size is available

Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W] Ultrasonic frequency: 28KHZ/40KHz

#### Transducer pack Specifications:


Model (JTM models)		JTM-1006 JTM-1012		JTM-1018		JTM-1024	JTM-1030	JTM-1036	
Ultrasonic transducer box size (mm)	L	305	355 406			500	550	500	
	W	250	305	305		355	406	460	
	Н	100	100	100		100	100	100	
Housing material	SUS304/SUS316L								
Surface finishing	Hard-Cr plating treatment (20+microns)								
Ultrasonic frequency	28K	Hz / 40KHz							
Ultrasonic transducers	6рс	S	12pcs		18pcs	24pcs	30pcs		36pcs
Ultrasonic power	300	W	600W		900W	1200W	1500W		1800W
Electronic generator	KG	300	KG600		KG900	KG1200	KG1500		KG1800
	Ultrasonic generator work separately control transducers								
power suppy	AC 110V/220V or 220/240V, 1,13AMP								
*Custom made:68KF	lz/80	OKHz/120KH	Iz and size	are a	ll available	e			

#### Immersible ultrasonic transducer units can be installed in the tank by three ways:

- 1. side mounted
- 2. bottom mounted
- 3. top mounted

Skymen will design proper mounted way for you according to your requirements and existing tank specifications.

# TYPICAL APPLICATIONS



#### Packing & delivery details:

Packing , loading, delivery time						
Packing unit	1set/wooden case					
Packing method	Export wooden case					
Loading port	Shenzhen					
Delivery time	About 15 working days					
Minimum Order Quantity	1set					
Transport method	By express company / air / sea					



### **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen