

Custom Ultrasonic Electronic Cleaner , Digital Heated Ultrasonic Cleaner

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1set
- Price: Negotiation
- Packaging Details: 1sets/ wooden case
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600pcs per month




Product Specification

- Product Name: Ultrasonic Cleaner
- Application: Heavy Oil And Carbon Removing
- Capacity: 300 Liter
- Ultrasonic Power: 3000W
- Ultrasonic Frequency: 28/40kHz
- Timer: 1~99 Hours
- Feature: Power Adjustable
- Standard: CE
- Highlight: ultrasonic washing machine, ultrasonic cleaning unit



More Images



Product Description

Electronic Industry Used And Industrial Ultrasonic Cleaner Cleaning Type Heated Tank

Applications:

-Ultrasonic auto parts cleaner for car parts washing, engine block cleaning, workshop sonic bath cleaning. Ideal to clean rust, carbon, paint, heavy oil, without damage to parts inside tank with suitable cleaning liquid.

Description:

Adjustable ultrasonic power
Original BLT type transducer
SUS304/316L tank
Adaptable for continuous operation
Adjustable thermo controller
Adjustable ultrasonic power
With separate control ultrasonic electronic generator
Sweep mode control available
Digital timer control
Boost mode & oil skimmer upon client's requirement
Pressure pump and filter system are available

Specifications:

Model	JTS-1060
Tank's working dimension (mm)	700*650*650(L*W*H)
Overall dimension (mm)	900*850*1000(L*W*H)
Tank's total capacity	300L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment (20+ microns)
Housing's material	Stainless steel
Ultrasonic frequency	28kHz / 40kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW







Tank size also can be customized based on your requirement.

SkyMen JTS Series:

SkyMen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1000x800
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1240x1150
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20~80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0~30min adjustable					
DRAIN	¾" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3					
GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1					
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL					
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY					
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)					

Competitive Advantage:

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.

PCB Board: manufactured by Skymen factory, more stable

**Skymen Technology Corporation Limited**

86-755-27094405



info@skyman.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen