


## Automatic Ultrasonic Cleaner

### Basic Information

- Place of Origin: China
- Brand Name: Skyemen
- Certification: CE
- Model Number: JTS-1060
- Minimum Order Quantity: 1set
- Price: Negotiation
- Packaging Details: 1sets/ wooden case
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600pcs per month



### Product Specification

- Product Name: Ultrasonic Cleaner
- Application: Heavy Oil And Carbon Removing
- Capacity: 300 Liter
- Ultrasonic Power: 3000W
- Ultrasonic Frequency: 28/40kHz
- Timer: 1~99 Hours
- Feature: Power Adjustable
- Standard: CE
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic cleaning unit**

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

## Product Description

### Industrial Ultrasonic Cleaning Machine Oil Filtration System And Automatic Lift Easy Operate

Skymen ultrasonic cleaning machine with oil filtration to skim oil from heavily dirty objects. With pneumatic lift to avoid workers from heavy goods.

#### Description:

Adjustable ultrasonic power  
Original BLT type transducer  
SUS304/316L tank  
Adaptable for continuous operation  
Adjustable ultrasonic power  
With separate control ultrasonic electronic generator  
Sweep mode control available  
Boost mode & oil skimmer upon client's requirement  
Pressure pump and filter system  
With pneumatic lift to up and down goods.

#### Competitive Advantage:

Material : SUS304/316L with 2mm thickness. SUS316L is resistant for strong acid and alkaline.  
Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.  
PCB Board: manufactured by Skymen factory, more stable

#### Specifications:

Model	JTS-1060
Tank's working dimension (mm)	700*650*650(L*W*H)
Overall dimension (mm)	900*850*1000(L*W*H)
Tank's total capacity	300L
Tank's material	SUS304 / SUS316
In-tank surface finishing	Hard-Cr Plating Treatment ( 20+ microns )
Housing's material	Stainless steel
Ultrasonic frequency	28kHz / 40kHz
Ultrasonic transducer	60pcs
Ultrasonic output power (MAX.)	3000W
Electronic generator	KG3000
Heater's (hot plate) power	9KW

#### Skymen JTS Series:

Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1114
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1140x600
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1140x950
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20-80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0-30min adjustable					
DRAIN	3/4" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V . 3					

GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen