High Pressure Closed cycle Washing Machine Rotating Basket Spray Cleaning Machine

Basic Information

Place of Origin: ChinaBrand Name: Skymen

Certification: CE/ROHS/FC/ISO/BSCI

Model Number: JP-1000P

Minimum Order Quantity: 1

• Price: 8000

Packaging Details: wooden box
Delivery Time: 60 days
Payment Terms: T/T

• Supply Ability: 500 sets/month



Product Specification

Model: JP-1000P · Capacity: 145L . Basket Diameter: 1000mm 720mm Workspace Height: SUS304 . Tank Material: Basket Bearing: 250kg Basket Rotary Drive: Motor Motor Power: 0.37KW . Rotating Speed: 10-50r/M • Heating Power: 6KW Water Pump Power: 2.2KW · Spraying Pressure: 0.3-0.5Mpa

• Highlight: Closed-cycle Washing Machine,

High Pressure Closed-cycle Washing Machine, Rotating Basket Spray Cleaning Machine



More Images







Product Description

What is a Rotary Basket High Pressure Water Spraying Cleaning Machine?

A washing system with basket washer rotation is designed especially to solve the difficult tasks where extra high demands are placed on the cleanliness of the items.

The high-pressure rotary basket spray cleaning machine uses high-pressure jets and centrifugal principles generated by high-temperature hot water during rapid rotation to quickly peel off dirt on the inner and outer surfaces of the workpiece to achieve the purpose of thorough cleaning.

The control part adopts a programmable controller with a high degree of automation. It is a cleaning equipment that reduces the labor intensity of workers, is efficient, energy-saving, safe and environmentally friendly.



Parameters

Latamotoro							
Model	JP-1000P						
Basket Diameter	1000mm						
Basket Bearing	250KG						
Worspace Height	720mm						
Capacity	145L						
Tank thickness	2mm						



Parameters

			Spraying	g cleaning r	nachine wit	h rotatio	n basket			
Model Name	Basket Diameter	Working Height	Tank/Pipe Material	Basket Loading Capacity	Motor Power for Basket Rotation	Rotating Speed	Strorage Tank Volume	Heating Power for Storage Tank	Pump Power	Spraying Pressure
IP-0500ZP	500mm	300mm	SUS304/1.5MM	50KG	Jet drives	1~3rmp	40L	3KW	0.55KW	0.25
P-0600ZP	600mm	350mm	SUS304/1.5MM	50KG	Jet drives	1°3rmp	65L	3KW	0.55KW	0.25
JP-0500P	500mm	300mm	SUS304/1.5MM	80KG	Motor/0.15KW	3~10rmp	50L	3KW	0.55KW	0.25
JP-0600P	600mm	350mm	SUS304/1.5MM	80KG	Motor/0.15KW	3~10rmp	70L	3KW	0.55KW	0.25~0.3
JP-0700P	700mm	350mm	SUS304/1.5MM	80KG	Motor/0.15KW	3~10rmp	85L	3KW	0.75KW	0.25~0.
JP-0800P	800mm	500mm	SUS304/2.0MM	250KG	Motor/0.15KW	3~10rmp	100L	6KW	0.75KW	0.25~0.
JP-0900P	900mm	500mm	SUS304/2.0MM	250KG	Motor/0.15KW	3~10rmp	130L	6KW	1.5KW	0.25~0.
JP-1000P	1000mm	720mm	SUS304/2.0MM	250KG	Motor/0.37KW	3~10rmp	145L	6KW	2.2KW	0.3~0.5
JP-1200P	1200mm	730mm	SUS304/2.0MM	350KG	Motor/0.37KW	3~10rmp	160L	9KW	2.2KW	0.3~0.5
JP-1500P	1500mm	850mm	SUS304/2.0MM	400KG	Motor/0.55KW	3~10rmp	200L	9KW	3KW	0.3~0.5
JP-2000P	2000mm	1000mm	SUS304/2.0MM	600KG	Motor/0.75KW	3~10rmp	450L	12KW	3KW	0.3~0.5
				Manual je	et cleaning r	nachine				
Model Name	Length	Width	Height	Tank/Pipe Material	Pump Power	Heating Power for Storage Tank	Liquid Strorage Tank Volume	Spraying Pressure	Steam Extraction	Loading Capacity
IP-0500-P	500mm	400mm	300mm	SUS304/2.0MM	2.2KW	3KW	60	0.3~0.5MPA	Have	50KG
IP-0800-P	800mm	500mm	300mm	SUS304/2.0MM	2.2KW	3KW	80	0.3~0.5MPA	Have	50KG

^{2.2}KW * The above parameters are for reference only. Please consult customer service staff for more product information.

2.2KW

Advantages of the Rotary Basket High Pressure Water Spraying Cleaning Machine

One-touch operation, adjustable spray pressure

720° cleaning without dead ends

Large cleaning batches, saving labor

Liquid real-time circulation filtration system to improve liquid utilization efficiency

SUS304/2.0MM

SUS304/2.0MM

SUS304/2.0MM

Equipment has low energy consumption and low noise

The high-pressure spray cleaning machine can clean workpieces in batches with high efficiency and uniform effect. Strong controllability and low cost

4.5KW

4.5KW

6KW

126

0.3~0.5MPA

60KG

70KG



Deatailed photos

High Pressure Spray Device

The high-pressure water pump is used to pressurize the cleaning fluid to form a high-speed, high-pressure jet that impacts metal shavings, dust, cutting fluid, grease, etc. on the surface of the workpiece to separate the dirt and achieve the purpose of cleaning.



Rotating Cleaning Basket

The basket is made of stainless steel, with strong load-bearing capacity and durability.

Removable maintenance, easy to clean.





Button Control

Simple, intuitive, and easy to operate, with an emergency button that can be quickly cut off in special situations.

*Customizable PLC+touch screen control.



Stainless Steel Body

High temperature resistance, oxidation resistance, acid & alkali corrosion resistance, with long service life.



Circulation Filtration System

Micron-level filter effectively filters floating oil dirt and particles, reducing the frequency of cleaning fluid replacement.

Sealed Silencer Lid

Equipped with a gas strut to assist in opening and closing, so that the lid can open easily and close tightly.

Silicone Sealing Strip

Fits tightly to the edge of the lid, prevents liquid leakage, eliminates noise.

*Optional configuration: transparent observation window + internal LED lighting for easy observation of cleaning conditions.



Manual Hydraulic Gun (optional)

Manual assisted cleaning, suitable for special structure of the workpiece, improve the cleaning effect.

Manual Air Gun (optional)

Can be connected to an air compressor to quickly blow away residual liquid on the surface and speed up the drying of the workpiece.



Fixed Foot Stand

Made of high-strength material, stable and reliable.

Flexible Universal Wheel

Flexible steering makes it easy to push, and the equipment can be easily moved to the required position, improving maneuverability.



Product Details

Professional team quality assurance

PROFESSIONAL ULTRASONIC CLEANER MANUFACTURES







Cleaning Effect

Applications Widely used in different fields



















Cleaning Effect

Cleaning with detergent for better effect

PROFESSIONAL LTRASONIC CLEANER MANUFACTURER



Company Profile

About Skymen

Professional brand, trustworthy

PROFESSIONAL ULTRASONIC CLEANER MANUFACTURER

- 6

Founded in 2007, Skymen is an ultrasonic cleaning equipment manufacturer integrating R&D, production, sales and service. It specializes in providing ultrasonic cleaning technology solutions for global customers, and is committed to becoming a world-leading ultrasonic cleaning equipment comprehensive service provider of the whole value chain.

Shenzhen · Marketing Center

Integrating sales, brand, human resources and finance, with an office area of 1000+m².



Shenzhen · R&D Center

Independent innovation, with a strong technical R&D team and an office area of 3000+m².



Shaoguan · Production Base

Mainly responsible for the group's production and R&D, covering an area of 35,000+m².





Certificates

Certifications

350+ authoritative certifications

Skymen is operated to the highest standards with ISO9001 ISO14001, and ISO13485 certifications for quality, environment, and medical device. Our products are certified by CE, EMC, KC, FCC, REACH, PAHs, SCCP and ROHS.



Cooperated Partner





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen