

1200mm Rotary Basket High Pressure Spray Cleaning Machine Engine Parts **Pressure Adjustable**

Basic Information

• Place of Origin: China • Brand Name: Skymen • Certification: ISO 9001, ISO14001, CE, FCC, BSCI,etc. JP-1200P Model Number: • Minimum Order 1 Quantity: • Price: \$2000-\$6000/pc • Packaging Details: Export special wooden box • Delivery Time: 20-30 working days • Payment Terms: T/T, Western Union, MoneyGram • Supply Ability: 10000pcs per month



-

Product Specification

Model:	JP-1200P
Cleaning Method:	High Pressure Spraying
Basket Diameter:	1200mm
Work Space Height:	730mm
Basket Load-bearing:	350KG(can Be Customized)
Rotating Speed:	10~50R/MIN
Water Pump Power:	2.2KW
Sub-Tank Capacity:	160L
Basket Rotation Drive:	Motor/0.37kw
Heating Power:	9KW
Highlight:	1200mm Spray Cleaning Machine, Rotary Basket Spray Cleaning Machine,

Pressure Adjustable Spray Cleaning Machine



More Images



Our Product Introduction

Product Description:

High Pressure Spraying Cleaning Machine - Model: JP-1200P

The Spraying Cleaning Machine JP-1200P is a highly efficient and powerful cleaning machine specifically designed for cleaning auto parts. With its advanced features and customizable options, it is the perfect solution for all your auto parts cleaning needs.

Technical Parameters:

Product Name:	Spraying Cleaning Machine with Rotary Basket			
Model:	JP-1200P			
Cleaning Method:	High Pressure Spraying			
Basket	1200mm			
Work Space Height:	730mm			
Basket Load-bearing:	350KG (can Be Customized)			
Water Pump Power:	2.2KW			
Spray Pressure:	3-5 Bar Adjustable			
Basket Rotation Drive:	Motor/0.37KW			
Sub-Tank Capacity:	160L			
Rotating Speed:	10~50R/MIN adjustable			

Hot selling models

Spraying Cleaning Machine With Rotating Basket										
Model	Basket Diamete r	Work Space Height	Cavity Material	Basket Load- bearing	Basket Rotation Drive	Rotating Speed (R/MIN)	Sub- Tank Capac ity	Heating Power	Water Pump Power	Spray Pressı (Bar)
JP-0500ZP	500mm	300mm	SUS304/1.5 MM	50kg	Spray drives rotation	-	40L	3KW	0.55KW	2.5
JP-0600ZP	600mm	350mm	SUS304/1.5 MM	50kg	Spray drives rotation	-	65L	зкw	0.55KW	2.5
JP-0500P	500mm	300mm	SUS304/1.5 MM	80kg	Motor/0.15kw	10~50	50L	3KW	0.55KW	2.5
JP-0600P	600mm	350mm	SUS304/1.5 MM	80kg	Motor/0.15kw	10~50	70L	3KW	0.55KW	2.5 3
JP-0700P	700mm	350mm	SUS304/1.5 MM	80kg	Motor/0.15kw	10~50	85L	3KW	0.75KW	2.5 3
JP-0800P	800mm	500mm	SUS304/2.0 MM	250kg	Motor/0.15kw	10~50	100L	6KW	0.75KW	2.5 3
JP-0900P	900mm	500mm	SUS304/2.0 MM	250kg	Motor/0.15kw	10~50	130L	6KW	1.5KW	2.5 3
JP-1000P	1000m m	720mm	SUS304/2.0 MM	250kg	Motor/0.37kw	10~50	145L	6KW	2.2KW	3 5
JP-1200P	1200m m	730mm	SUS304/2.0 MM	350kg	Motor/0.37kw	10~50	160L	9KW	2.2KW	35
JP-1500P	1500m m	850mm	SUS304/2.0 MM	400kg	Motor/0.55kw	10~50	200L	9KW	3KW	3 5
JP-2000P	2000m m	1000mm	SUS304/2.0 MM	600kg	Motor/0.75kw	10~50	450L	12KW	3KW	3 5

Features

Product Name: Spraying Cleaning Machine Basket Load-bearing: 350KG(can Be Customized) Tank Material: SUS304 Cleaning Method: High Pressure Spraying Basket Rotation Drive: Motor/0.37kw Basket Diameter: 1200mm High Efficiency: capable of cleaning a large number of auto parts at once Powerful Cleaning: utilizes high pressure spraying to remove stubborn dirt and grime Customizable Load-bearing: able to support up to 350KG, can be adjusted for different cleaning needs Durable Tank Material: made of SUS304 stainless steel for long-lasting use Easy Operation: simple controls and user-friendly interface Effective Cleaning Method: high pressure spraying ensures thorough cleaning of auto parts Rotating Basket: allows for even distribution of cleaning solution and thorough cleaning of all parts Compact Design: takes up minimal space and can be easily moved to different locations Versatile: suitable for cleaning a variety of auto parts, including cylinder blocks

Customization:

Spraying Cleaning Machine Customization Service

Our Spraying Cleaning Machine is the perfect solution for all your industrial cleaning needs. With our customizable options, you can tailor the machine to fit your specific requirements. Let us help you create a powerful and efficient cleaning machine that will exceed your expectations.



High Pressure Spray Device

The high-pressure water pump is used to pressurize the cleaning fluid to form a high-speed, high-pressure jet that impacts metal shavings, dust, cutting fluid, grease, etc. on the surface of the workpiece to separate the dirt and achieve the purpose of cleaning.





<



Button Control

Simple, intuitive, and easy to operate, with an emergency button that can be quickly cut off in special situations.

*Customizable PLC+touch screen control.



Stainless Steel Body

High temperature resistance, oxidation resistance, acid & alkali corrosion resistance, with long service life.



Circulation Filtration System

Micron-level filter effectively filters floating oil dirt and particles, reducing the frequency of cleaning fluid replacement.

Sealed Silencer Lid

Equipped with a gas strut to assist in opening and closing, so that the lid can open easily and close tightly.

Silicone Sealing Strip

Fits tightly to the edge of the lid, prevents liquid leakage, eliminates noise.

*Optional configuration: transparent observation window + internal LED lighting for easy observation of cleaning conditions.



Manual Hydraulic Gun (optional)

Manual assisted cleaning, suitable for special structure of the workpiece, improve the cleaning effect.

Manual Air Gun (optional)

Can be connected to an air compressor to quickly blow away residual liquid on the surface and speed up the drying of the workpiece.



Fixed Foot Stand

(<

Made of high-strength material, stable and reliable.

Flexible Universal Wheel

Flexible steering makes it easy to push, and the equipment can be easily moved to the required position, improving maneuverability.



