

3.2L 120W Digital Ultrasonic Cleaner, Jewelry Cleaning **Equipment**

Basic Information

. Place of Origin: China . Brand Name: Skymen CE RoHS FCC · Certification:

JP - 020S Model Number: • Minimum Order Quantity:

• Price: Negotiation

Measurement for 1pcs:0.026CBM 36pcs per Packaging Details:

CBM Unit Size:265*165*220 mm (L*W*H) Package Size: 360*280*320 mm (L*W*H)

. Delivery Time: In Stock

• Payment Terms: Western Union, T/T, L/C, Paypal

. Supply Ability: 5000pcs per month



Product Specification

. Heating Power: 100W SUS 304 Matieral: 40KHz • Frequency: N.W.: 3.5kg 3.2Liter · Capacity:

China Mainland • Original: Tank Size: 24x13.5x10cm

• Ultrasonic Power: 120W

• Highlight: skymen ultrasonic cleaner,

ultrasonic bath cleaner



More Images





Product Description

3.2L 120W Digital Ultrasonic Cleaner, Jewelry Cleaning Equipment

JP-020S(digital, 3.2L, 0.75gallon) Skymen digital Ultrasonic Cleaner(with digital Timer & Heater)

Ultrasonic cleaner is a great helper to kitchen & household. It removes dust & bacteria off the kitchen appliance by using high frequency sound waves (ultrasonic: above the range of human hearing) to agitate an aqueous or organic medium (cleaning chemistry) that in turn acts on contaminants adhering to substrates like metals, plastics, glass, rubber and ceramics. Contaminants can be dust, dirt, oil, pigments, grease, polishing compounds, flux agents, fingerprints, soot wax and mold release agents, biological soil like blood, and so on.

Other Applications:

Jewelry industry, medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university, dental clinics, eyeglass shop, hardware tools shop.

We are a professinal manufaturer of ultrasonic cleaning equipment, like household ultrasonic cleaners, standard sus ultrasonic cleaners, industrial customized ultrasonic cleaners.

Features:

- 1. stainless steel tank has resistance to wear and long work life.
- 2. tank capacity:3.2L(0.75gallon), with digital timer & heater control
- 3. with Stainless steel basket
- 4. Use just tab water, orindustrial alcohol and solvent cleaner for more higher cleaning requirement
- 5. industrial control chip microcontroller.flexible circuit boards control, more secure & stable
- 6. temperature tunable from 20°C to 80°C
- 7. certification: CE&RoHS

Specfications:

Ultrasonic Frequency	40,000 Hz
Material	Stainless Steel SUS304
Tank Capacity	3.2 L
Timer	1-30minutes ,Digital timer
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	120W
Heating Power	100 W , Digital Heating
Unit Size	265 x 165 x 220 mm (L x W x H)
Tank Size	240 x 135 x 100 mm (L x W x H)
Package Size	360 x 280 x 320 mm (L x W x H)
N.W.	3.5 kg
G.W.	4.5 kg

shipping info.:

Measurement for 1pcs:0.026CBM 36pcs per CBM

MOQ:1PCS

Customer logo is welcome. Distributors are welcome.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

