



## 960L Capacity Industrial Ultrasonic Cleaner 7200W With Discharge Valve

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JTS-1144
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 1000/month



#### Product Specification

- Material: Stainless Steel SUS304/316L
- Use: Cleaning , Degreasing
- Application: To Clean Oil, Carbon, Rust, sludge
- Optional: Oil Filter System
- Special: Multi Tank
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 3000W
- Function: Cleaning Rinsing
- Highlight: **ultrasonic washing machine,**  
**ultrasonic cleaning unit**

## Product Description

960L Capacity Industrial Ultrasonic Cleaner 7200W With Discharge Valve

### Multi Frequency Ultrasonic Cleaner With Rising Drying Tank customized

The machine is customized and certified with CE.

If need, rising tank or drying tank is optional based on customer's needs.



### Applications:

Skymer Dual frequency ultrasonic cleaner can be use for car parts washing, engine block degrease, radiator clean, also can clean electronic parts. No damage to object surface and improve cleaning efficiency.

### Specifications:

Ultrasonic tank size	
Length* width* depth	1200x1000x800(L*W*H)
Capacity	960L
Rinse tank size	
Length* width* depth	1200x1000x800(L*W*H)
capacity	960L

Material	Stainless steel 304/316L
Ultrasonic power	7.2KW
Heating power	12 KW
Timer	1~30min adjustable
Heater	20~80C adjustable
ultrasonic frequency	28/40khz
voltage	AC220/380/415V, 50/60Hz
casters	4 casters with braker
transducer head	144pcs

### Product Description

Model: Skymer™	JTS-1012	JTS-1018	JTS-1024	JTS-1030	JTS-1036	JTS-1072
TANK'S WORKING DIMENSION (mm)	L1	355	406	500	500	1110
	W1	305	305	355	406	600
	H1	355	460	500	500	600
OVERALL DIMENSION (mm)	L2	535	586	680	710	1320
	W2	485	485	535	586	780
	H2	750	680	720	720	820
TANK'S TOTAL CAPACITY	38L	56L	88L	101L	126L	369L
TANK'S MATERIAL	SUS304 / SUS316L					
IN-TANK SURFACE FINISHING	Hard-Cr Plating Treatment ( 20+ microns )					
HOUSING'S MATERIAL	Stainless steel					
ULTRASONIC FREQUENCY*	28kHz / 40kHz					

ULTRASONIC TRANSDUCER	12	18	24	30	36	72
ULTRASONIC OUTPUT POWER (MAX.)	600W	900W	1200W	1500W	1800W	3600W
ELECTRONIC GENERATOR	KG600	KG900	KG1200	KG1500	KG1800	KG3600
	Build-in	Separate				
HEATER'S (HOT PLATE) POWER	1.5kW	3kW			4.5kW	9KW

**Competitive Advantage:**

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.

PCB Board: manufactured by Skymen factory, more stable

**Company info:**

**Skymen Cleaning Equipment Shenzhen Co. Ltd.**, that has worked on ultrasonic cleaner for more than 8 years.

Our ultrasonic products fully range from mini household ultrasonic cleaner, benchtop stainless steel small ultrasonic cleaner, and industrial large tank ultrasonic cleaner as well as Immersible ultrasonic transducer system.

Our company devote to research and development, with strong engineer teams. Otherwise, we accept customer's idea and want to develop new products together.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen