Skymen 100L Industrial Ultrasonic Cleaner 1800W 28K/40KHz Stainless Steel Tank

Basic Information

• Place of Origin: Guangdong, China

• Brand Name: skymen

• Certification: FCC/ISO9001:2008, RoHS, ce

Minimum Order Quantity: 1

• Price: \$1,100-1,250



Product Specification

• Power: 1800W

• Dimensions: 710x586x720mm

Weight: 110kg
 Voltage: 380V, 220V
 Tank Capacity: 100L

Tank Dimensions: 710x586x720mm
Timer: 1~99min, Adjustable

Heater: Normal~95degree, Adjustable

• Power Supply: 220V Or 110V

• Tank Material: Stainless Steel SUS304/SUS316L

Transducer Number: 30pcs
Cleaning Basket: SUS304
Ultrasonic Frequency: 28K/40K Hz
Material: Metal / Coil
Fuel: Electric



More Images









Skymen 100L Industrial Ultrasonic Cleaner with CE/ROHS/FCC Certification

Professional-grade ultrasonic cleaning solution for degreasing, derusting, and removing dirt from various industrial spare parts.

Product Specifications

Attribute	Value
Machine Type	Industrial Ultrasonic Cleaner
Condition	New
Power	1800W
Dimensions (L×W×H)	710×586×720mm
Weight	110kg
Voltage	380V, 220V
Tank Capacity	100L
Tank Material	Stainless Steel SUS304/SUS316L
Ultrasonic Frequency	28K/40K Hz
Heater Range	Normal~95°C, adjustable
Timer	1~99min, adjustable
Warranty	1 Year

Key Features

- Separate generator control prevents water and electric leakage
- 5V safe control panel eliminates electric shock risk
- Compact design reduces space requirements and costs
- 30 high-performance transducers for thorough cleaning
- Adjustable temperature and timer for precise control
- · Stainless steel construction for durability

Industrial Applications

Automotive Service

Flushing carburetors, injectors, fuel filter mesh cleaning, and cleaning of individual parts, assemblies, and entire blocks.

Medical Industry

Sterilization and cleaning of surgical instruments, vials, dental tools, and pharmaceutical equipment.

Engineering

Cleaning parts, pipes, wires before finishing, machining components, and deburring parts.

Instrumentation

Washing and polishing optics, precision mechanics components, integrated circuits, and printed circuit boards.

Product Images












Model Comparison

Model	Capacity (L)	Tank Size (mm)	Transducer (pcs)	Ultrasonic Power (W)	Heating Power (W)
JP-120ST	38	500×300×250	12	600	1500
JP-180ST	53	500×350×300	18	900	1500
JP-300ST	99	550×450×400	30	1500	3000
JP-600ST	264	800×600×550	60	3000	6000

Cleaning Results















Quality Assurance

- Strict inspection of materials and production processes
- Sales team monitors production to ensure quality standards
- Each unit undergoes 4-hour testing before packaging

After-Sales Service

- 1-year warranty with free technical support
- Free replacement parts during warranty period
- Continued technical support after warranty expires
- Overseas third-party support available

Frequently Asked Questions

How to control the cleaning time?

Generally, 3 minutes is sufficient for daily cleaning needs. The timer is adjustable from 1-99 minutes for precise control.

Does ultrasonic cleaner damage the articles?

Ultrasonic cleaning is safe for most parts, though caution should be observed with delicate items. The cleaning process is powerful yet controlled.

What kind of cleaning solution should I use?

Various formulas are available for specific applications. Proper selection is crucial for effective cleaning and to prevent reactions with workpieces.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen