78L SUS304 Industrial Ultrasonic Cleaner with 410x255x310mm Tank for Fast Contaminant Removal

Basic Information

• Certification: CE, RoHS

Minimum Order Quantity:

• Price: 1000



Product Specification

Model NO.: JP-240STAutomation: Manual

Cleaning Precision: Ultra-Precision Industrial Cleaning

• Control: Artificial

Principle: Physical And Chemical Cleaning

• Material: SUS304

Specification: 410*255*310mm
Tank Capacity: 53L With Roller
Frequency: 40,000Hz
Timer: 1-99 Mins
Tank Size: 550*400*350mm

Unit Size: 730*580*770mm
Ultrasonic Power: 480W~1200W
Heating Power: 3000W
Gross Weight: 95kq



More Images









Fast Remove Contaminant Non Toxic 78L Pallet Ultrasonic Bath

Why Choose a Pallet Ultrasonic Cleaner?

Ultrasonic cleaning is the most effective method for pallet cleaning. Our ultrasonic cleaner uses high-frequency waves (over 20KHz) to create cavitation in liquid, generating millions of microscopic bubbles that remove contaminants at a molecular level, including solder pastes and uncured SMT adhesives. This method provides uniform cleaning intensity in all directions.

How To Clean Stencils

Fill the tank with appropriate cleaning solution and activate heating

Ensure the stencil is fully submerged without air pockets

Activate ultrasonic energy

Remove stencil after cycle completion and ensure complete drainage

Rinse thoroughly with clean water

Dry using evaporation, air-drying, or forced hot air

Versatile Applications

This ultrasonic cleaning tank is suitable for various components including brass parts, medical instruments, and industrial components, effectively removing oil, dust, rust, carbon, and other contaminants.

Electronics/Electricals: PCB assemblies, opto-electronics, switchgear, armatures

Watch and Jewelry: Timepieces, watch cases, jewelry, diamonds

Pharmaceuticals: Degassing solvents, tablet dissolution, drug mixing

Healthcare/Scientific: Surgical instruments, dental tools, lab glassware

Defense/Aerospace: Military components, aircraft parts, naval equipment

General Industries: Machine parts, filters, kitchen equipment, solar cells

Convenient Drainage System

The 78L ultrasonic cleaner features a built-in SUS304 stainless steel drainage system for easy water removal without lifting the heavy unit.

JP-240ST Specifications

Model	JP-240ST	Frequency	40,000Hz		
Tank capacity	53L with Roller	Timer	1-99 mins		
Tank size	550×400×350mm	Unit size	730×580×770mm		
Ultrasonic power	480W~1200W	Heating power	3000W		
Power supply	AC 100-120V, 60Hz; AC 220-240V, 50Hz				
Packing	Wood case	Gross weight	95kg		

Custom Solutions Available

If this tank size does	sn't meet your requirements	s, we offer larger ultrasonic	cleaning tanks and car	n design custom n	nachines with specia
functions.					

Skymen Advantage

With 10 years of industry experience, we supply ultrasonic cleaning machines worldwide. Our products meet ISO, CE, RoHS, FCC, and National Medical Instrument standards.

Customer Feedback

Visit our website for customer testimonials: https://skymen.en.made-in-china.com



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen