Skymen Industrial Ultrasonic Cleaner with 1500W Heating Power 40,000 Hz Frequency and PLC Control for Auto Parts

Basic Information

• Certification: CE, RoHS, ["Ce, Ce, RoHS, RoHS", "Ce,

RoHS"]

Minimum Order Quantity: 1Price: 700



Product Specification

Model NO.:
 JP-120ST

Automation: Semi-automaticUltrasonic Frequency: 40,000 Hz

Material: Stainless Steel SUS304

• Tank Capacity: 38 L

Tank Size: 500 X300 X 250 Mm (L X W X H)
Timer: 1-30minutes, Digital Timer

• Power Supply: AC 100 ~ 120V, 50 / 60Hz, AC 220 ~ 240V,

50 / 60Hz

• Ultrasonic Power: 600W

• Heating Power: 1500W, Digital Heating

• Unit Size: 795*560*815 Mm (L X W X H)

Net Weight: 60 KgGross Weight: 65 KgTransducer Count: 12pcs



More Images









Skymen Ultrasonic Cleaning Machine for Auto Parts Cleaner JP-120ST SUS304 38L with CE

Product Specifications

Ultrasonic frequency: 28/40kHz

Tank material: Stainless steel SUS304 stamping slot

Tank capacity: 38 L

Timer: 1~99 min adjustable

Heater: 0 ~80°C adjustable

Power: AC 100 ~ 120 V, 60 Hz/AC 200 ~ 240 V, 50 Hz

Ultrasonic power: 600W (12pcs transducers)

Heating power: 1500 W

Tank size: 500 x 300 x 250 mm (L x W x H)

Unit size: 735 x 500 x 695 mm (L x W x H)

Packing size: 795 x 560 x 815 mm (L x W x H)

N.W.: 60 kg G.W.: 65 kg

Certifications

CE & RoHS & ISO9001 & REACH

Key Features

- Adjustable ultrasonic power
- Original BLT type transducer
- SUS 304/316L stainless steel tank
- Adaptable for continuous operation
- Adjustable thermo controller
- With separate control ultrasonic electronic generator
- Sweep mode control available
- Boost mode & oil skimmer upon clients requirement
- Pressure pump and filter system are optional

Note: Tank size is custom made. MOQ: 1PCS. 1 year warranty included.

Working Principle

Wide Application

This ultrasonic cleaner is suitable for various industrial and commercial cleaning applications including:

- Diesel injection pumps
- · Metal parts prior to powder coating
- Electrical components
- Printer heads and toner cartridges
- Mobile phones
- · Vehicle differentials
- Carburettors and fuel injectors
- Surgical equipment
- Motorcycle engine components
- Heat exchangers
- And many other precision cleaning applications

Similar Models Comparison

Model	Tank Size (mm)	Volume (L)	Ultrasonic Power (W)	Heating Power (W)	Transducer (pcs)
JP-120ST	500×300×250	38	600	1500	12

JP-180ST	500×350×300	53	900	1500	18
JP-240ST	550×400×350	77	1200	3000	24
JP-300ST	550×450×400	99	1500	4500	30
JP-360ST	600×500×450	135	1800	4500	36

Product Images

Cleaning Effect Demonstration

Our Advantages

- Direct manufacturer with mass production capability
- Dedicated R&D department for technological innovation
- Own brand SKYMEN with OEM & ODM services
- $\bullet~$ Wide range of capacities available (0.6L $^{\sim}$ 5000L)
- High-quality materials (Stainless steel 304/316)
- Certifications: CE, RoHS, FCC, C-Tick
- 1 year warranty on all products



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen