


JP-360ST 135L Industrial Ultrasonic Cleaner with 40,000 Hz Frequency 1800W Ultrasonic Power and 4500W Heating

Our Product Introduction

Basic Information

- Certification: CE, RoHS, ["Ce, Ce, RoHS, RoHS", "Ce, RoHS"]
- Minimum Order Quantity: 1
- Price: 1800



Product Specification

- Model NO.: JP-360ST
- Ultrasonic Frequency: 40,000 Hz
- Tank Material: Stainless Steel SUS304
- Tank Capacity: 135 L
- Tank Size: 600X500X450mm (L X W X H)
- Timer: 1-30minutes, Digital Timer
- Power Supply: AC380V 3 Phase 50Hz/AC220V 3 Phase 60Hz
- Ultrasonic Power: 1800W
- Heating Power: 4500W, Digital Heating
- Unit Size: 870*760*805 Mm (L X W X H)
- Transducer Quantity: 36pcs
- Heater Range: 0 ~80°C Adjustable
- Net Weight: 98 Kg
- Gross Weight: 105 Kg



More Images



for more products please visit us on skymenultrasonic.com

Product Description

JP-360ST 135L Single Industrial Cleaning Machine Ultrasonic Cleaner

Product Specifications

Ultrasonic frequency: 28/40kHz
Tank material: Stainless steel SUS304 stamping slot
Tank capacity: 135 L
Timer: 1~99 min adjustable
Heater: 0 ~80°C adjustable
Power: AC380V 3phase, 50 Hz / AC220V 3phase, 60 Hz
Ultrasonic power: 1800W (36pcs transducers)
Heating power: 4500 W
Tank size: 600×500×450 mm (L×W×H)
Unit size: 870×760×805 mm (L×W×H)
Packing size: 930×820×925 mm (L×W×H)
N.W.: 98 kg
G.W.: 105 kg

Certifications

CE & RoHS & ISO9001 & REACH

Key Features

- Adjustable ultrasonic power
- Original BLT type transducer
- SUS 304/316L stainless steel tank
- Adaptable for continuous operation
- Adjustable thermo controller
- With separate control ultrasonic electronic generator
- Sweep mode control available
- Boost mode & oil skimmer upon clients requirement
- Pressure pump and filter system are optional

Tank size is custom made
MOQ: 1PCS
1 year warranty

Working Principle



Wide Applications

- Diesel injection pumps
- Metal parts prior to powder coating
- Electrical components
- Make-up cases
- Printer heads and toner cartridges
- Computer keyboards and mice
- Mobile phones
- Removal of dirt from motorcycle radiators
- Vehicle differentials
- Removal of metal swarf
- Milking parlour equipment
- Golf clubs & grips
- Ceramic pipes
- Horse bits & stirrups
- Carburettors
- Fuel injectors
- Guns and gun components
- Tattoo needles
- Surgical equipment

Motorcycle engine crank cases
Engine cylinder heads
Turbochargers
Heat exchangers for combination boilers


Similar Models with Different Volume

Model	Tank Size (L×W×H mm)	Volume (L)	Ultrasonic Power (W)	Heating Power (W)	Transducer (pcs)
JP-120ST	500×300×250	38L	600W	1500W	12pcs
JP-180ST	500×350×300	53L	900W	1500W	18pcs
JP-240ST	550×400×350	77L	1200W	3000W	24pcs
JP-300ST	550×450×400	99L	1500W	4500W	30pcs
JP-301ST	800×300×400	96L	1500W	4500W	30pcs
JP-360ST	600×500×450	135L	1800W	4500W	36pcs
JP-480ST	700×500×500	175L	2400W	6000W	48pcs
JP-600ST	800×600×550	246L	3000W	6000W	60pcs
JP-720ST	1000×600×600	360L	3600W	9000W	72pcs
JP-1108ST	1000×900×600	540L	5400W	18000W	108pcs
JP-1144ST	1200×1000×800	960L	7200W	27000W	144pcs

Product Images



Cleaning Effect



Our Advantages

- Direct manufacturer factory with mass production capability
- Dedicated R&D department for technological innovation
- Own brand SKYMEN with OEM & ODM services for distributors
- Wide capacity range available (0.6L ~ 5000L)
- High-quality materials: Stainless steel 304/316 and ABS
- Certifications: CE, RoHS, FCC, C-Tick
- 1 year warranty for all products



SkyMen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen