

96L Capacity Industrial Ultrasonic Cleaner with 1500W Ultrasonic Power and 4500W Heating Power

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE, RoHS
- Minimum Order Quantity: 2
- Price: 1250



Product Specification

- Model NO.: JP-301ST
- Tank Size: 800*300*400mm
- Ultrasonic Power: 1500W
- Capacity: 96 L
- Frequency: 28kHz/40kHz
- Material: SUS304
- Heating Power: 4500W
- Specification: 1050*500*765mm
- Input Voltage: AC110V-120V/60Hz, AC220V-240V/50Hz
- Timer: 1-99 Minutes Adjustable
- Control: PLC
- Principle: Physical Cleaning
- Transducer: Korea Technique
- Circulation Pump: CNP
- PCB Board: Independent R&D



More Images



96L Single Tank Industrial Ultrasonic Cleaner From Skymen

96L SUS 304 Tank industrial ultrasonic cleaner designed for professional cleaning applications.

Specifications

Capacity	96L
Input voltage	AC110V-120V/60Hz AC220V-240V/50Hz
Ultrasonic power	1500W (0-40% adjustable)
Heating power	4500W
Frequency	28KHz/40KHz
Timer	1-99 minutes adjustable
Material	SUS304/SUS316
Tank size	800×300×400mm

Front view of 96L industrial ultrasonic cleaner

Side view of 96L ultrasonic cleaning tank

Control panel of industrial ultrasonic cleaner

Close-up of stainless steel tank interior

Full unit view with accessories

Key Features

- Stainless steel tank with excellent wear resistance and long service life
- 96-liter capacity with digital timer and heater control
- Includes stainless steel basket for convenient part handling
- Works with tap water, industrial alcohol, or solvent cleaners for various cleaning requirements
- Industrial-grade control chip microcontroller with flexible circuit boards for secure, stable operation
- Includes drainage system, lid, and multi-directional castors for mobility
- High-quality Korean transducers for reliable ultrasonic performance
- Custom PCB board designed and produced by Skymen
- Proven generator technology used by thousands of customers in USA and Europe
- CNP brand circulation pump (industry-leading quality)

Warranty & Support

1-year comprehensive warranty. During warranty period, replacement parts are provided free of charge for any technical issues. Technical support continues to be available after warranty expiration.

Detail view of ultrasonic cleaner components

Internal view of cleaning tank

Side panel details of industrial cleaner

Complete unit overview with all accessories

