


Heated Industrial Ultrasonic Cleaner with 40,000 Hz Frequency 900W Ultrasonic Power and 1500W Heating Power

Basic Information

- Certification: CE, RoHS, ["Ce, Ce, RoHS, RoHS", "Ce, RoHS"]
- Minimum Order Quantity: 1
- Price: 700



Product Specification

- Model NO.: JP-180ST
- Ultrasonic Frequency: 40,000 Hz
- Tank Capacity: 53 L
- Tank Size: 500X350X300mm (L X W X H)
- Timer: 1-30minutes, Digital Timer
- Power Supply: AC 100 ~ 120V, 50 / 60Hz, AC 220 ~ 240V, 50 / 60Hz
- Ultrasonic Power: 900W
- Heating Power: 1500W, Digital Heating
- Unit Size: 735*455*695 Mm (L X W X H)
- Heater Temperature: 0 ~80°C Adjustable
- Transducer Count: 18pcs
- Net Weight: 70 Kg
- Gross Weight: 75 Kg
- Material: Stainless Steel SUS304



More Images



Heated Plastic Mould/Molds Ultrasonic Cleaning Machine 53L JP-180ST

Product Specifications

Ultrasonic frequency: 28/40kHz

Tank material: Stainless steel SUS304 stamping slot

Tank capacity: 53 L

Timer: 1~99 min adjustable

Heater: 0~80°C adjustable

Power: AC 100 ~ 120 V, 60 Hz/AC 200 ~ 240 V, 50 Hz

Ultrasonic power: 900W (18pcs transducers)

Heating power: 1500 W

Tank size: 500×350×300 mm (L×W×H)

Unit size: 735×455×695 mm (L×W×H)

Packing size: 795×515×815 mm (L×W×H)

Net weight: 70 kg

Gross weight: 75 kg

Certifications: CE & RoHS & ISO9001 & REACH

Key Features

- Adjustable ultrasonic power
- Original BLT type transducer
- SUS 304/316L stainless steel tank
- Adaptable for continuous operation
- Adjustable thermo controller
- With separate control ultrasonic electronic generator
- Sweep mode control available
- Boost mode & oil skimmer upon clients requirement
- Pressure pump and filter system are optional

Tank size is custom made. MOQ: 1PCS. 1 year warranty.

Working Principle



Wide Applications

- Diesel injection pumps
- Metal parts prior to powder coating
- Electrical components
- Make-up cases
- Printer heads and toner cartridges
- Computer keyboards and mice
- Mobile phones
- Removal of dirt from motorcycle radiators
- Vehicle differentials
- Removal of metal swarf
- Milking parlour equipment
- Golf clubs & grips
- Ceramic pipes
- Horse bits & stirrups

Carburetors
 Fuel injectors
 Guns and gun components
 Tattoo needles
 Surgical equipment
 Treasure
 Golf balls
 Motorcycle engine crank cases
 Engine cylinder heads
 Turbochargers
 Dentures
 Bicycle derailleurs
 Heat exchangers for combination boilers
 Engine camshaft rocker covers
 Horse brasses
 Knives, bayonets and other militaria

Similar Models with Different Volume

Model	Tank size (L×W×H mm)	Volume (L)	Ultrasonic Power (W)	Heating Power (W)	Transducer (pcs)
JP-120ST	500×300×250	38	600	1500	12
JP-180ST	500×350×300	53	900	1500	18
JP-240ST	550×400×350	77	1200	3000	24
JP-300ST	550×450×400	99	1500	4500	30
JP-301ST	800×300×400	96	1500	4500	30
JP-360ST	600×500×450	135	1800	4500	36
JP-480ST	700×500×500	175	2400	6000	48
JP-600ST	800×600×550	246	3000	6000	60
JP-720ST	1000×600×600	360	3600	9000	72
JP-1108ST	1000×900×600	540	5400	18000	108
JP-1144ST	1200×1000×800	960	7200	27000	144

Product Images



Cleaning Effect



Our Advantages

Direct manufacturer factory with mass production capability
 Dedicated R&D department ensuring technological innovation
 Own brand SKYMEN with OEM & ODM services for distributors
 Wide capacity range available (0.6L ~ 30L, 38L ~ 5000L) including mini household, benchtop, industrial large tank, and submersible transducer pack systems
 Material options: stainless steel 304 & ABS for plastic models, stainless steel 304/316 for steel models
 Certifications: CE, RoHS, FCC, C-Tick

1 year warranty for all products



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com