

28kHz Ultrasound Cleaner Tube Valve Ultrasonic Cleaning Machine

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE, RoHS
- Minimum Order Quantity: 1



Product Specification

- Ultrasonic Frequency: 28000 Hz
- Tank Material: SUS304
- Tank Capacity: 77L
- Ultrasonic Power: 600~3000W
- Heating Power: 1200W
- Time Control: 1~99 Minutes
- Temp Control: 20~80°C
- Net Weight: 87kg
- Gross Weight: 95kg
- Tank Size: 500X400X350 Mm
- Unit Size: 820x675x830 Mm
- Package Size: 90x70x100 Cm
- Power Supply: AC 100~120V, 60Hz / AC 200~240V, 50Hz
- Transducer Count: 24pcs
- Control Type: CNC



More Images



Product Description

28kHz Ultrasound Cleaner Tube Valve Ultrasonic Cleaning Machine

Product Overview

Professional industrial ultrasonic cleaning machine with 77L capacity, featuring adjustable temperature control and digital timer for efficient cleaning applications.


Technical Specifications

Specification	Details
Ultrasonic Frequency	28/40 kHz
Tank Material	Stainless Steel SUS304
Tank Capacity	77 L
Timer	1-99 min adjustable
Heater	0-80°C adjustable
Power Supply	AC 100-120V, 60Hz / AC 200-240V, 50Hz
Ultrasonic Power	1200W (24 transducers)
Heating Power	3000 W
Tank Size	500 × 400 × 350 mm (L × W × H)
Unit Size	820 × 675 × 830 mm (L × W × H)
Package Size	90 × 70 × 100 cm (L × W × H)
Net Weight	87 kg
Gross Weight	95 kg

Key Features

- Durable stainless steel tank with excellent wear resistance and long service life
- 77L capacity with digital timer and heater control
- Includes stainless steel basket and lid
- Compatible with tap water, industrial alcohol, and solvent cleaners
- Industrial control chip microcontroller with flexible circuit boards for secure and stable operation
- Temperature adjustable from 0°C to 80°C
- Certifications: CE & RoHS
- Adjustable ultrasonic power with sweep mode control
- Original BLT type transducer
- Suitable for continuous operation
- Optional boost mode, oil skimmer, pressure pump, and filter system
- Custom tank sizes available
- 1 year warranty

Product Images



Applications

This ultrasonic cleaner is suitable for various industries including:

Jewelry industry
Medical industry and surgical equipment
Electronic factories and components
Molding factories
Automotive workshops and diesel injection systems
Scientific laboratories and universities
Dental clinics and eyeglass shops
Hardware tools shops
Printer heads and toner cartridges
Computer keyboards and mice
Mobile phones and electrical components
Motorcycle radiators and engine components
Fuel injectors and carburetors
Guns and gun components
Tattoo needles
Heat exchangers and turbochargers

Certifications

CE & RoHS & ISO9001 & REACH

Similar Models

Model	Tank Size (mm)	Volume (L)	Ultrasonic Power (W)	Heating Power (W)	Transducers
JP-120ST	500×300×250	38	600	1500	12
JP-180ST	500×350×300	53	900	1500	18
JP-240ST	550×400×350	77	1200	3000	24
JP-300ST	550×450×400	99	1500	4500	30
JP-301ST	800×300×400	96	1500	4500	30
JP-360ST	600×500×450	135	1800	4500	36
JP-480ST	700×500×500	175	2400	6000	48
JP-600ST	800×600×550	246	3000	6000	60
JP-720ST	1000×600×600	360	3600	9000	72
JP-1108ST	1000×900×600	540	5400	18000	108
JP-1144ST	1000×900×600	960	7200	27000	144

Manufacturing Advantages

Direct manufacturer factory with mass production capability
Dedicated R&D department for technological innovation
Own brand SKYMEN with OEM & ODM services available
Wide capacity range: 0.6L to 5000L including mini household, benchtop, and industrial models
Materials: Stainless steel 304/316 and ABS plastic
Certifications: CE, RoHS, FCC, C-Tick
1 year warranty on all products



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com