

Automotive & Aviation Single-Tank Cleaning Machines for Removing Highly-Bonded Contaminants

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE
- Minimum Order Quantity: 1
- Price: 3000



Product Specification

- Model NO.: JP-720ST
- Automation: Semi-automatic
- Tank Size: 1000X600X600mm
- Wood Case Size: 1300X900X1100mm
- Ultrasonic Power: 3600W
- Heating Power: 9000W
- Timer: 1-99 Mins Adjustable
- Heater: 20~80c Adjustable
- Tank Material: SUS304/SUS316
- Ultrasonic Frequency: 28/40KHz
- Machine Voltage: AC 220V/380V, 3phases
- Generator Voltage: AC 110V/220V, 1phase
- Net Weight: 287kg
- Gross Weight: 360KG
- Power Supply: AC380V 3phase, 50HZ



More Images



Product Description

Automotive & Aviation Single-Tank Cleaning Machines

Specialized ultrasonic cleaning systems designed for removing highly-bonded contaminants from automotive and aviation components.

How Ultrasonic Cleaning Works

Specially designed transducers convert electrical energy into mechanical vibrations that are transmitted into the cleaning liquid. This creates microscopic vacuum-filled bubbles that rapidly implode through a process called cavitation. The resulting energetic liquid jets effectively remove all types of contamination from metal, glass, and plastic surfaces, ensuring thorough cleaning of every surface in contact with the fluid.



Technical Specifications

| | | | |
|-----------------------------|------------------------|--------------------------|------------------------|
| Model | JP-720ST(360L) | Certification | CE, RoHS, ISO9001 |
| Tank Size | 1000×600×600mm | Timer | 1s~99 hours adjustable |
| Tank Material | SUS304/SUS316 | Heater | 20~95°C adjustable |
| Wooden Packing Size | 1390×860×1050mm | Heating Power | 3000W |
| Ultrasonic Power | 9000W | Gross Weight | 287kg |
| Ultrasonic Frequency | 28/40KHz | Warranty | 1 year |
| Machine Voltage | AC 220V/380V, 3 phases | Generator Voltage | AC 110V/220V, 1 phase |

Model JP-720G with Oil Skimmer

Tank Size: 1000×600×600mm (600mm deep)

Frequency: 28KHz

Capacity: 360L

Ultrasonic Power: 3600W

Heating Power: 9000W

Timer: 1-99 hours adjustable

Heater: Normal-95°C adjustable

Power Supply: AC380V 3 phase, 50Hz

European Standard Plug

With Filtration Cycle System

Net Weight/Gross Weight: 310kg/360kg

Package Size: 1600×1330×1050mm

HS Code: 8479899990

Digital Control Panel



Packaging & Delivery

| | |
|-----------------------|--------------------|
| Packing Unit | 1 set/wooden case |
| Packing Method | Export wooden case |
| Loading Port | Shenzhen/Hongkong |

| | |
|-------------------------------|-----------------------|
| Delivery Time | About 20 working days |
| Minimum Order Quantity | 1 set |
| Transport Method | By express/air/sea |

Applications

Effectively removes grease, dirt, oil, and pigments from various components including:

- Ultrasonic Auto Parts Cleaner
- Ultrasonic Surgical Instrument & Medical Cleaner
- Ultrasonic Aircraft Parts (Aerospace) Cleaner
- Ultrasonic Semiconductor Cleaner
- Ultrasonic Jewelry Cleaner
- Ultrasonic Solar Cleaner
- Ultrasonic Hard Disk Drive Cleaner
- Ultrasonic Industrial Cleaner
- Ultrasonic Circuit Cleaner
- Ultrasonic Ceramics Cleaner
- Ultrasonic Lens & Eyeglass Cleaner
- Ultrasonic Tungsten Carbide Cleaner
- Ultrasonic Plastics Cleaner
- Ultrasonic Oil & Gas Refinery Equipment Cleaner
- Ultrasonic Gun & Case Cleaner
- Ultrasonic Bike Cleaner
- Ultrasonic Musical Instrument Cleaner
- Ultrasonic Dental Cleaner
- Ultrasonic Coin Cleaner
- Glassware
- Chemical dust



Skyman Technology Corporation Limited

+86 13528763370

sales3@skymen.cc

skymenultrasonic.com