

SUS304 Tank Auto Parts Ultrasonic Cleaning Machine

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE, RoHS
- Minimum Order Quantity: 2
- Price: 1000



Product Specification

- Model NO.: JP-240ST
- Tank Size: 550*400*350mm
- Ultrasonic Power: 1200W
- Frequency: 28kHz/40kHz
- Heating Power: 3000W
- Specification: 780*595*765mm
- Capacity: 77 L
- Material: SUS304
- Transducer: 24pcs
- Water Inlet: Yes
- Timer: Digital 1-99 Min Adjustable
- Heater: 0~95°C
- Voltage: AC 100~120V, 60Hz / AC 220~240V, 50Hz
- Unit Size: 840*655*885 Mm
- Net Weight: 85 Kg



More Images



Product Description

SUS304 Tank Auto Parts Ultrasonic Cleaning Machine

This 77L SUS 304 tank industrial ultrasonic cleaner is specifically designed for automotive repair companies to thoroughly clean complex internal shapes, blind holes, grooves, and porous surfaces of engine components.

Auto Parts Ultrasonic Cleaning Machine 77L with Heating Function 50x40x35cm Tank

Key Features

- Multiple ultrasonic power options: 2400W (all car cylinders), 3000W (cylinders below 6135), 4000W (engineering vehicles, heavy truck cylinders)
- Effectively removes carbon deposits, glue, oil, sludge, and other oily contaminants
- Thoroughly cleans oil passage holes and cooling system components
- Uses tap water and detergent for low-cost operation (1/10 of gasoline brushing)
- 5-10 times more efficient than traditional immersion cleaning and heating spray methods
- High-voltage transistor transducer with special bonding process
- Hydropower split design for safe and reliable operation
- Adjustable ultrasonic power and temperature control

Applications

Suitable for cleaning various metal automotive components including oil pumps, carburetors, cylinder blocks, cylinder heads, crankshafts, gearboxes, valve chamber covers, connecting rods, and other engine parts.

Technical Specifications

| | |
|--------------------|---------------------------------------|
| Model | JP-240ST |
| Frequency | 40KHz / 28KHz |
| Housing Material | SUS304 |
| Tank Material | SUS304 / 316 |
| Transducer | 24pcs |
| Ultrasonic Power | 1200W (12pcs transducers) |
| Heating Power | 3000W |
| Tank Capacity | 77L |
| Water Inlet/Outlet | Yes |
| Timer | Digital 1-99 min adjustable |
| Heater | 0~95°C |
| Voltage | AC 100~120V, 60Hz / AC 220~240V, 50Hz |
| Tank Size | 550x400x350 mm |
| Unit Size | 840x655x885 mm |
| Packing Size | Wooden case |
| Net Weight | 85 Kg |
| Gross Weight | 95 Kg |
| Certification | ISO9001:2008 CE & REACH |

Customization Available: Sizes from 10 gallons to 200 gallons can be customized to meet specific requirements.

Additional Features

- Fully insulated stainless steel tank construction

- Digital LED screen displaying temperature and time
- Adjustable built-in heat to improve cleaning effectiveness
- Stainless steel lid to reduce operating noise

Package Includes

- 1 × cleaning machine
- 1 × lid
- 1 × basket
- 1 × manual

| | |
|--|--|
| | |
| | |

Warranty & Support

1 Year Warranty: If any technical problems occur during the warranty period, replacement parts will be sent free of charge. Technical support is also available after the 1-year warranty period.

| | | |
|--|--|--|
| | | |
| | | |



SkyMen Technology Corporation Limited

+86 13528763370

sales3@skymen.cc

skymenultrasonic.com