

## Ultrasonic Cleaner for Industrial Parts Washer, Automatic Parts Washer, Ultrasonic Bath Cleaner with Filtration 360L

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Certification: CE, RoHS
- Minimum Order Quantity: 1
- Price: 3100



### Product Specification

- Control: PLC
- Heating Power: 12000W
- Heater: 20-95 Celsius
- Specification: 360L
- Generator: External
- Material: SUS304/ SUS316
- Isolated Lid: Yes
- Tank Size: 1000\*600\*600mm
- Unit Size: 1280\*1500\*1000mm
- Frequency: 28kHz
- Oil Skimmer: Filtration System, Attached Tank, Pump, Filter
- Ultrasonic Power: 3600W
- Timer: 1-99hours
- Machine Voltage: AC220-240V Single Phase



### More Images



## Product Description

### Ultrasonic Cleaner for Industrial Parts Washer

Automatic parts washer with filtration system, 360L capacity ultrasonic bath cleaner designed for industrial applications.

#### Key Features

- Constructed from durable stainless steel SUS304
- Adjustable power control with clockwise adjustment
- LED display for timer and heater settings
- Includes stainless steel washing basket and lid
- Full-open lid design for easy water filling
- Drainage valve for efficient dirty water discharge
- Ultrasonic cleaning solutions penetrate oils, residues, solvents, pastes, and chemicals
- Effectively cleans crevasses and internal bores

#### Technical Specifications

Ultrasonic Frequency	28,000 Hz
Material	Stainless Steel SUS304 or SUS316
Tank Capacity	360 L
Timer	1~99 minutes adjustable
Heater	20°C to 95°C adjustable
Machine Voltage	AC220-240V single phase
Generator Voltage	240V single phase
Ultrasonic Power	3600W
Heating Power	12000 W
Generator	1 piece External
Washing Basket	1 piece
Caster	4 pieces
Drainage	Included
Cover	Included
Oil Skimmer	Filtration system with attached tank, pump, and filter

#### Product Gallery

Ultrasonic cleaner front view showing control panel and stainless steel construction

Close-up of ultrasonic cleaner LED display and control interface

Interior view showing stainless steel tank and washing basket

Side view displaying full-open lid design and drainage system

Detailed view of filtration system and oil skimmer components

Caster wheels for mobility and positioning

External generator unit with electrical connections


Operation demonstration showing parts cleaning process


Internal components and ultrasonic transducer arrangement

Drainage valve and water discharge system

Complete system overview with all accessories included

 +86 13528763370

 [sales3@skymen.cc](mailto:sales3@skymen.cc)

 [skymenultrasonic.com](http://skymenultrasonic.com)