

Skymen Industrial Standard Ultrasonic Cleaner Removing Oil Rust Wax 100L Jp-300st

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE, RoHS, ["CE, CE, RoHS, RoHS", "CE, RoHS"]
- Minimum Order Quantity: 1
- Price: 1118



Product Specification

- Automation: Semi-automatic
- Heating Power: 3000W, Digital Heating
- Unit Size: 820*675*830 Mm (L X W X H)
- Material: Stainless Steel SUS304
- Tank Size: 550X450X400 Mm (L X W X H)
- Control: PLC
- Tank Capacity: 99L
- Power Supply: AC 100 ~ 120V, 50 / 60Hz, AC 220 ~ 240V, 50 / 60 H
- Ultrasonic Power: 1500W
- Ultrasonic Frequency: 40, 000 Hz
- Timer: 1-30minutes, Digital Timer
- Heater: 0 ~80°C Adjustable
- Paking Size: 880*735*950 Mm (L X W X H)
- Net Weight: 87 Kg



More Images



Product Description

Skymen Industrial Standard Ultrasonic Cleaner JP-300ST

Professional 100L industrial ultrasonic cleaning system designed for removing oil, rust, wax, and contaminants from various industrial components.

Product Specifications

Ultrasonic Frequency	28/40kHz
Tank Material	Stainless Steel SUS304
Tank Capacity	99 L
Timer	1~99 min adjustable
Heater	0~80°C adjustable
Power Supply	AC100-120V/60Hz; AC220-240V/50Hz
Ultrasonic Power	1500W (30 transducers)
Heating Power	4500W
Tank Dimensions	550×450×400 mm (L×W×H)
Unit Dimensions	820×675×830 mm (L×W×H)
Packing Dimensions	880×735×950 mm (L×W×H)
Net Weight	87 kg
Gross Weight	90 kg

Certifications

CE, RoHS, ISO9001, REACH

Key Features

- Adjustable ultrasonic power and temperature control
- Original BLT type transducers for superior performance
- SUS 304/316L stainless steel construction
- Designed for continuous operation
- Separate control ultrasonic electronic generator
- Sweep mode control available
- Optional boost mode and oil skimmer
- Optional pressure pump and filter system
- Custom tank sizes available
- Minimum order quantity: 1 piece
- 1-year comprehensive warranty

Working Principle



Industrial Applications

- Diesel injection pumps
- Metal parts prior to powder coating
- Electrical components
- Printer heads and toner cartridges
- Mobile phones
- Motorcycle radiators
- Vehicle differentials
- Carburetors
- Fuel injectors
- Surgical equipment
- Turbochargers
- Engine cylinder heads
- Heat exchangers
- And many more industrial components

Similar Models Comparison

Model	Tank Size (mm)	Volume	Ultrasonic Power	Heating Power	Transducers
JP-120ST	500×300×250	38L	600W	1500W	12pcs
JP-180ST	500×350×300	53L	900W	1500W	18pcs

JP-240ST	550×400×350	77L	1200W	3000W	24pcs
JP-300ST	550×450×400	99L	1500W	4500W	30pcs
JP-301ST	800×300×400	96L	1500W	4500W	30pcs
JP-360ST	600×500×450	135L	1800W	4500W	36pcs
JP-480ST	700×500×500	175L	2400W	6000W	48pcs
JP-600ST	800×600×550	246L	3000W	6000W	60pcs
JP-720ST	1000×600×600	360L	3600W	9000W	72pcs
JP-1108ST	1000×900×600	540L	5400W	18000W	108pcs
JP-1144ST	1000×900×600	960L	7200W	27000W	144pcs

Product Images - JP-300ST

Cleaning Effectiveness Demonstration

Manufacturer Advantages

Direct manufacturer with mass production capabilities

Dedicated R&D department ensuring technological innovation

SKYMEN brand with OEM & ODM services available

Comprehensive capacity range: 0.6L to 5000L

Multiple models: household, benchtop, industrial with casters

Premium materials: Stainless steel 304/316 and ABS

International certifications: CE, RoHS, FCC, C-Tick

1-year warranty on all products



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com