

High Quality Double Tanks Industrial Ultrasonic Cleaner with Filtration and Rinsing System 40L

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Certification: CE, RoHS, ISO9001
- Minimum Order Quantity: 1
- Price: 2000



Product Specification

- Tank Capacity: 38L For Each
- Heating Power: 1500*2W
- Gross Weight: 185kg
- Tank Thickness: 2mm
- Unit Size: 1350*900*750mm
- Package Size: 1410*960*870mm
- Ultrasonic Power: 1200W
- Material: Stainless Steel SUS304
- Frequency: 28/40kHz
- Heater Range: 20-95
- Voltage: 220V 1phase
- Timer Range: 1-99 Hours Adjustable
- Tank Size: 500*300*250mm
- Power Supply: AC 100~120V/220~240V, 50/60Hz
- Degass Function: Yes



More Images



Product Description

High Quality Double Tanks Industrial Ultrasonic Cleaner with Filtration and rinsing system 40L

1 Model
No.

JP-2024G

2 Image

3	Ultrasonic Frequency	28/40 kHz
	Material	Stainless Steel SUS304
	Tank Capacity	38L for each
Ultras 3onic model	Timer	1~99hours adjustable
	Heater	20°C to 95°C adjustable
	Degas	Yes
4	Semiwave	Yes
	Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
	Ultrasonic Power	1200 W
Packin g	Heating Power	1500 W*2
	Basket& cover	Standard equipped
	Tank Size	500*300*250mm (L x W x H)
5	Unit Size	1350*900*750mm (L x W x H)
	Package Size	1410*960*870mm(L*W*H)
	G.W.	185 kg
6	Warranty	1 year

1. stainless steel tank has resistance to wear and long work life.
 2. with filtration and rinsing system,
 3. with stainless steel basket and cover.
 4. use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
 5. ultrasonic cleaning solutions penetrate virtually any soil type including: oils, residues, solvents, pastes and chemicals and other contaminants are safely lifted and dispersed, leaving a surface appearance that is clean and free of particulate; even in crevasses and internal bores.

6 Application: medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university lab, hardware tools shop.

7 Certificates: CE/ROHS/FCC/PSE/ISO9001

Features:

Twin tank ultrasonic cleaner ,1 for cleaning ,1 for rinsing ,to achieve better result.
 Adjustable ultrasonic power from 300W to 30KW or even bigger
 Original BLT type transducer with more strong power
 SUS304 or 316L stainless steel tank for solvent fluid cleaning
 With bolted transducer or whole set transducer pack system
 Adjustable thermo controller
 With separate control ultrasonic electronic generator
 Ultrasonic tank size can be custom made
 An ultrasonic carburetor cleaner cleans even gummed up carburetors. Stop wasting time hand cleaning.
 Fast and effective cleaning with no manual labor
 Powerful enough to remove carbon deposits yet gentle on aluminum parts
 Use water-based cleaning solutions, no toxic solvents

Application:

-Scientific Labs: Eyeglass Frames; Lab Glassware; Optical & Contact Lenses; Pipettes; Scientific Instruments; Test tubes
 -Industrial Manufacturing: Assemblies; Gears; Metal & Plastic Parts; Precision Bearings
 -Electronic manufacturing: Capacitors; Ceramic Substrates; PC Boards; Packaging Components; Quartz Crystals
 -Medical and Dental Lab: Burs; Blood Oxygenators; Dental Instruments; Syringe Parts; Surgical Instruments

How ultrasonic cleaner works:

Electrical energy is converted into mechanical vibrations thanks to special elaborated transducers. These vibrations are transferred into the fluid through the walls of stainless steel. This creates tiny microscopic vacuum bubbles, which cause consecutive implosions (cavitation). The high-energy jets that are thus created can efficiently remove dirt from surfaces and materials placed in the cleaning bath.

An ultrasonic cleaner in your kitchen will save time and reduce effort while providing a safe solution for your kitchenware. With the help of oil remove detergent, the ultrasonic cleaner could fast and efficiently take the oil, polish the kitchenware. When using an ultrasonic cleaner on glassware, plasticware, and your lab instruments. Whether you are cleaning **oven trays, pans**, studies have shown that it can be up to 30 times faster while delivering thoroughly clean results



Company profile

Here are the Skymen company. You can know more about us with the details



FAQ:

Buying Guides

1. Choose suitable tank size based on cleaning objects, size can be customized
2. Choose suitable frequency, 40kHz for common use and 28kHz for heavy duty oil removal
3. Choose tank material based on solvent, SUS304 or SUS316L
4. Other function optional,
 - Ultrasonic cleaning tank + Ultrasonic Rinsing tank
 - Ultrasonic cleaning tank + Air agitation Rinsing tank
 - Ultrasonic cleaning tank + Water Rinsing tank
 - Ultrasonic cleaning tank + Hot air drying tank
 - Oil filtration system: detergent recycle use to save much cost



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com