




Ultrasonic / Rinsing / Drying Ultrasonic Cleaning Equipment For Turbochargers

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE
- Model Number: JTS-1108
- Minimum Order Quantity: 1pcs
- Price: Negotiation
- Packaging Details: 1sets/ wooden case
- Delivery Time: In Stock
- Payment Terms: Paypal / T/T / western Union
- Supply Ability: 600pcs per month



Product Specification

- Product Name: Ultrasonic Cleaner
- Capacity: 500 Liter
- Ultrasonic Power: 4500W
- Timer: 1~99 Hours
- Feature: Power Adjustable
- Optioal: Aerospace Parts Cleaning
- Frequency: 40khz
- Material: Sus304/316
- Heating Power: 12kw
- Transducer: 90pcs
- Brand: SkyMen
- Certification: CE
- Machine Type: Industrial Ultrasonic Cleane
- Cleaning Process: Hot Water Cleaning
- Highlight: **dual frequency ultrasonic cleaner.**

for more products please visit us on skymenultrasonic.com

Product Description

Ultrasonic / Rinsing / Drying Ultrasonic Cleaning Equipment For Turbochargers

Skymen Cleaning Equipment Shenzhen Co., Ltd., which engaged in ultrasonic cleaner field for more than 7 years. Our main products are ultrasonic cleaner with different capacity.

Our company is a famous ultrasonic manufacturer with R&D, production and sales. High quality product and after sales services is available from us.

Not only standard ultrasonic cleaner, any non-standard can be design by our engineer.

Suggestion and drawing is professional for you.

Welcome to visit our factory, provide your precious guidance and conduct business negotiation.

Application:

SKYMEN specifically designed to clean the internals and externals of a ultrasonic cleaning machines are used by many manufacturers to clean injection moulds, dies and tools. ,fast and effectively. With the unique cleaning techniques this machine incorporates one large higvehicle radiators, industrial compressor radiator and hydraulic coolersh powered cleaning tank . Generators control , and pump and filtration system. Best cleaning the ultimate ultrasonic cleaner for vehicle radiators,

Skymen Single Tank JTS Series:

Skymen Model No.	JTS-1030	JTS-1036	JTS-1060	JTS-1072	JTS-1108	JTS-1144
TANK DIMENSION(mm)	500x406x500	500x460x550	700x650x650	1000x600x600	1000x900x600	1200x1140x600
OVERALL DIMENSION(mm)	680x586x850	680x640x900	900x850x1000	1200x800x950	1240x1140x950	1440x1140x950
MAX. CAPACITY	101L	126L	295L	360L	540L	960L
CONSTRUCTION CASE	SUS 304 (MIRROR SHINING IMAGE AVAILABLE)					
CONSTRUCTION TANK	SUS 304 / 316L					
ULTRASONIC POWER(MAX.)	1500W	1800W	3000W	3600W	5400W	7200W
ULTRASONIC FREQUENCY	28kHz/40kHz/68kHz/80kHz/120kHz					
MAX. HEATING TEMP.	20~80C ADJUSTABLE					
HEATING POWER	3KW	4.5KW	6KW	9KW	12KW	24KW
TIMER	0~30min adjustable					
DRAIN	¾" VALVE					
LID & BASKET	TAKE-OFF / STRUT LID; SUS 304					
CLEANING TANK'S POWER REQUIREMENT	AC220V/380V/415V/440V. 3					
GENERATOR'S POWER REQUIREMENT	AC110V/ 220V / 240V, 1					
GENERATOR	WITH SWEEP MODE AND REMOTE CONTROL					
FEATURES	MULTI-DIRECTION CASTORS WITH BRAKE; 1 YEAR WARRANTY					
Optional	FILTRATION SYSTEM (PUMP, SUS FILTER, OIL CATCH CAN)					



Ultrasonic cleaning machine with rinsing tank:

Model	JP-2048G	JP-2072G	JP-2144G
Ultrasonic Tank Dimension(mm)	550X400X350	600X500X450	1000X600X600
Rinsing tank dimension(mm)	550X400X350	0	0
Max. Capacity	77L/tank	135L/tank	175L/tank
Construction Case	SUS304 (Mirror shining image available)		
Construction Tank	SUS304		
Transducer Number	48pcs	72pcs	144pcs
Ultrasonic power(Max.)	2400W	3600W	7200W
Ultrasonic frequency	40kHz	40kHz	40kHz
Temperature range	20~80C adjustable		
Heating power	6KW	12KW	24KW
Timer	1~99h	1~99h	1~99h
Drain	3/4" Valve		
Lid & Basket	Available, material: SUS304		
Cleaning Tank voltage	AC220V/AC380V 3phase		
Generator Voltage	AC110V / 220V 1phase		
Features	With double tank for cleaning and rinsing. With filtration system Multi-direction castors with brake;		



Skymen 3 stage unit (multi-tank) ultrasonic cleaner machine

Three tanks ultrasonic cleaning machine

Model	JP-3048GPH	JP-3072GPH	JP-3144GPH
Tank Dimension(mm)	550X400X350/tan	600X500X450/tan	1000X600X600/tan
Max. Capacity	77L/tank	135L/tank	175L/tank
Construction Case	SUS304 (Mirror shining image available)		
Construction Tank	SUS304		
Transducer Number	48pcs	72pcs	144pcs
Ultrasonic power(Max.)	1200W	2400W	3600W
Ultrasonic frequency	40kHz	40kHz	40kHz
Temperature range	20~80C adjustable		
Heating power/tank1#	3KW	6KW	9KW
2#			
Heating power/tank3#	3KW	6KW	12KW
Timer	1~99h	1~99h	1~99h
Drain	3/4" Valve		
Lid & Basket	Available, material: SUS304		
Cleaning Tank voltage	AC220V/AC380V 3phase		
Generator Voltage	AC110V / 220V 1phase		
Features	With ultrasonic cleaning, ultrasonic rinsing and drying With filtration, throwing system Multi-direction castors with brake;		



Advantage:

Material : SUS304/316L with 2mm thickness

15 years experience engineer will design the machine for you

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second pollution and better cleaning effects.

PCB Board: manufactured by SkyMen factory, more stable



SkyMen Technology Corporation Limited

☎ 86-755-27094405

✉ info@skymen.cc

🌐 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen