



CE / Rohs Automotive Ultrasonic Cleaner For Engine Parts With Filtration System

Our Product Introduction

Basic Information

- Place of Origin: Guangdong , China
- Brand Name: SkyMen
- Certification: CE
- Model Number: JTS-1072G
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: 1set / wooden case
- Delivery Time: In Stock
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 300 units per month



Product Specification

- Tank Size: 1000x600x600mm, Can Be Customized
- Frequency: 28khz Or 40khz To Choose
- Material: SUS304 Or SUS316L To Choose
- Generator: Separate Control
- Warranty: 1 Year
- Advantage: Filtration System
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic cleaning unit**



Product Description

CE/ROHS Customized Engine block/parts Ultrasonic Cleaner With filtration system

Brief introduction:

JTS tank dimension and transducers are custom made available.

Without damages to cleaning objects

Oil filtration system is optional

SUS304 material separate generator controlled single tank industrial ultrasonic cleaning machine with filtration system

Features:

Adjustable ultrasonic power

Original BLT type transducer

SUS 316L stainless steel tank

Adaptable for continuous operation

Adjustable thermo controller

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

sweep mode control available

digital timer & heating control

boost mode& oil skimmer upon clients requirement

pressure pump and filter system are available

Specification details:

Model: Skymen™		JTS-1012	JTS-1018	JTS-1024	JTS-1030	JTS-1036	JTS-1072
TANK'S WORKING DIMENSION (mm)	L1	355	406	500	500	500	1000
	W1	305	305	355	406	460	600
	H1	355	460	500	500	550	600
OVERALL DIMENSION (mm)	L2	535	586	680	710	710	1320
	W2	485	485	535	586	640	780
	H2	750	680	720	720	770	820
TANK'S TOTAL CAPACITY		38L	56L	88L	101L	126L	360L
TANK'S MATERIAL		SUS304 / SUS316L					
IN-TANK SURFACE FINISHING		Hard-Cr Plating Treatment (20+ microns)					
HOUSING'S MATERIAL		Stainless steel					
ULTRASONIC FREQUENCY*		28kHz / 40kHz					
ULTRASONIC TRANSDUCER		12	18	24	30	36	72
ULTRASONIC OUTPUT POWER (MAX.)		600W	900W	1200W	1500W	1800W	3600W
ELECTRONIC GENERATOR		KG600	KG900	KG1200	KG1500	KG1800	KG3600
		Build-in	Separate				

Functions:

JTS series single tank ultrasonic cleaner equipment system includes transducer box and generator.

The transducer box and generator can be both build-in or separate but work together to do cleaning.

Transducer box immersible mounted in fluid tank, one side or both side or bottom mounted inside the tank.

The number and placement of transducers is selected to give maximum results.


Specification of tank dimension and transducer boxes are custom made available.

Either for mould of parts cleaning can receive perfect cleaning efficiency. Stainless steel basket is optional.

Packing and shipping:

Packing , loading, delivery time	
Packing unit	1set / wooden case
Packing method	Export wooden case
Loading port	Shenzhen
Delivery time	About 16 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea

Engine block/parts before and after ultrasonic cleaning:



Competitive Advantage:

1. Our factory Machines produced with good quality parts, and competitive price. Machine warranty is for One year, for all the machines itself quality problems which in normal use and under warranty, we'll provide maintenance and provide machine parts free of charge.
2. For all our machines before delivery had passed Skyman Limited strict inspection, at least be testing 24-48 hours before delivery.
3. Provide ODM and OEM, Customers only need to told us the products which request for cleaning, and their detailed cleaning requirements, our engineers will provide them perfect solution free of charge. Also, clients own machine design and requirements all be OK.
4. After-sale service: To make sure our high quality and top service from us, before order will send the machine design drawing and specifications to clients for confirmation, before machine delivery we'll testing the machines 24-48 hours and QC fully inspection, if there is any problem in Customer's place, we'll helping to checking out the problem and provide the machine parts for replace free of charge, if can't to solve please return to us for a new one replace.

FAQ

1. How about after sales services?

1 Year warranty for Forall ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.

2. What are the advantages of ultrasound over traditional cleaning methods?

minimize the use of manual labor

make cleaning and degreasing without the use of organic solvents

clean hard to reach areas of products and remove all types of dirt
shorten the processes such as extraction, dispersion, purification, chemical reactions
eliminates costly mechanical and chemical cleaning of heat exchangers

3. What frequency is better for my parts?

Frequency is suggested based on pollutants in the objects.

28kHz frequency is stronger, better for car/motor/truck/vessel parts clean(remove oils, grease, pastes, etc.)

40kHz is better for pcb boards, electronic parts, etc.

Higher precision goods, higher frequency.

4. Can ultrasonic cleaning damage parts?

Ultrasonic cleaning is considered safe for most parts; although in some cases it is necessary to observe caution. Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe.

5. What cleaning solution should I use?

A large variety of different formulas designed for specific applications. Proper selection is crucial for acceptable cleaning activity and to prevent unwanted reactions with the workpiece.

6. Is rinsing after cleaning cycles?

Rinsing is recommended to remove any chemical residue that could be harmful to the part. Details can be rinsed right in your ultrasonic cleaner or in a clean water bath or in a separate sink tap, distilled or deionized water.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen