

## 30 Liters Pro Benchtop Ultrasonic Cleaner For Glassware , Plasticware

### Our Product Introduction

#### Basic Information

- Place of Origin: China (Mainland)
- Brand Name: Sky men
- Certification: CE, RoHS
- Model Number: JP-100S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / carton (65\*42\*42cm)
- Delivery Time: In Stock
- Payment Terms: Paypal , T/T
- Supply Ability: 200pcs per day



#### Product Specification

- Frequency: 40KHz
- Tank Capacity: 30L
- Tank Size: 500\*300\*200mm
- Material: Stainless Steel 304
- Ultrasonic Power: 600W
- Heating Power: 500W
- Others: SUS Basket, Lid, Drainage
- Condition: Brand New
- Highlight: **skymen ultrasonic cleaner, stainless steel ultrasonic cleaner**



## Product Description

### 30 Liters Pro Benchtop Ultrasonic Cleaner For Glassware , Plasticware

#### 30L 600W Stainless Steel Digital Benchtop Ultrasonic Cleaner

An ultrasonic cleaner in your laboratory will save time and reduce effort while providing a safe solution for your cleaning needs. Let's take a look at some considerations you should keep in mind when using an ultrasonic cleaner on glassware, plasticware, and your lab instruments.

Whether you are cleaning **beakers, bottles, vials, pipettes, or other labware**, laboratory ultrasonic cleaners eliminate the time and effort of manual scrubbing. In fact, studies have shown that it can be up to 60 times faster while delivering thoroughly clean results.

#### Machine details:

Frequency	40kHz
Material	Stainless Steel SUS304
Capacity	30 L
Timer	1-30minutes, Digital timer
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	600 W
Heating Power	500 W, Digital Heating
Unit Size	L530 x W325 x H325 mm
Tank Size	L500 x W300 x H200 mm
Package Size	L640 x W420 x H440 mm
N.W. / G.W.	15 kg / 16 kg
Warranty	1 year

#### Features:

High quality stainless steel 304 tank has resistance to wear and long work life

Temperature tunable from 20°C to 80°C

Timer adjust from 0~30minutes

Tank capacity:30L(8gallon)


Use tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement

Industrial control chip microcontroller, flexible circuit boards control, more secure & stable

With drainage and Stainless steel basket

Certification: CE&RoHS

#### Control Panel:



#### Packing:



1 pcs / carton (65\*42\*45cm)  
 Measurement for 1pcs: 0.12CBM  
 8pcs per CBM  
**MOQ:1PCS**



**Sky men Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen