



Immersion Ultrasonic Transducers Simple Detachable Ultrasonic Cleaning Device

Our Product Introduction

for more products please visit us on skymenultrasonic.com


Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JTM-1036
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1 pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 100 /month



Product Specification

- Material: Stainless Steel SUS304/316L
- Use: Cleaning , Degreasing
- Control: Separate Generator
- Optional: Cable
- Special: Immersible
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 1800W
- Power: Adjustable Ultrasonic Power
- Transducer: 36pcs
- Highlight: **ultrasonic generators and transducers, submersible ultrasonic transducer**



More Images




Product Description

Simple ultrasonic cleaning device, detachable ultrasonic cleaner, immersion ultrasonic transducers:

Specification details:

Ultrasonic transducer box size (mm):500x355x100mm(LXWXH)
 Housing material: SUS304/SUS316L
 Surface finishing: Hard-Cr plating treatment (20+microns)
 Ultrasonic frequency: 28KHz / 40KHz
 Ultrasonic transducers: 24pcs
 Ultrasonic power: 1200W
 Electronic generator: KG1200, Ultrasonic generator work separately control transducers
 power supply: AC 110V/220V or 220/240V, 1,13AMP

Submersible Transducer Pack working



Advantages:

ODM & OEM are accepted.
 MOQ: 1 piece
 Certification: CE & RoHS
 Customer logo is welcome!
 Distributors are welcome!

Transducer pack Specifications:

Model (JTM models)	JTM-1006	JTM-1012	JTM-1018	JTM-1024	JTM-1030	JTM-1036	
Ultrasonic transducer box size (mm)	L	305	355	406	500	550	500
	W	250	305	305	355	406	460
	H	100	100	100	100	100	100
Housing material	SUS304/SUS316L						
Surface finishing	Hard-Cr plating treatment (20+microns)						
Ultrasonic frequency	28KHz / 40KHz						
Ultrasonic transducers	6pcs	12pcs	18pcs	24pcs	30pcs	36pcs	
Ultrasonic power	300W	600W	900W	1200W	1500W	1800W	
Electronic generator	KG300	KG600	KG900	KG1200	KG1500	KG1800	
	Ultrasonic generator work separately control transducers						
power supply	AC 110V/220V or 220/240V, 1,13AMP						
*Custom made:68KHz/80KHz/120KHz and size are all available							

Features:

Original BLT type transducer
 SUS stainless steel housing Hard-Cr plating Treatment (20 + microns)
 Adaptable for continuous operation
 Adjustable ultrasonic power
 With separate control ultrasonic electronic generator
 Custom made size is available

Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W]

Ultrasonic frequency: 28KHZ/40KHZ

FAQ:

Q:What are the advantages of Skymen ultrasonic cleaner over traditional cleaning methods?

A:1.minimize the use of manual labor

2.make cleaning and degreasing without the use of organic solvents

3.clean hard to reach areas of products and remove all types of dirt

4.shorten the processes such as extraction, dispersion, purification, chemical reactions

5. eliminates costly mechanical and chemical cleaning of heat exchangers

Q: What frequency is better for my parts?

A: Frequency is suggested based on pollutants in the objects.

28kHz frequency is stronger, better for car/motor/truck/vessel parts clean (remove oils, grease, pastes, etc.)

40kHz is better for pcb boards, electronic parts, etc.

Higher precision goods, higher frequency.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen