

40KHz heater LED display 30L ultrasonic washer machine cleaning fast and effective

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SKYMEN
- Certification: CE, FCC, RoHS
- Model Number: JP-100S
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit/carton box with protecting foam
- Delivery Time: In Stock
- Payment Terms: T/T, Paypal, Citibank
- Supply Ability: 1000unit/per month




Product Specification

- Tank Material: Stainless Steel 304
- Tank Capacity: 30L
- Tank Size: 500*300*200mm
- Unit Size: 530*325*325mm
- Ultrasonic Power: 600W
- Ultrasonic Frequency: 40KHz
- Heating Power: 500W
- Timer: 0~30min Digital Adjustable
- Heater: 0~80°C Digital Adjustable
- Voltage: AC110~120V; AC220~240V
- Highlight: stainless steel ultrasonic cleaner, ultrasonic bath cleaner



More Images



Product Description

With Heated adjustable and timer adjustable JP-100S 40khz 30L

JP-100S

- 1*ultrasonic cleaner
- 1*English manual
- 1*power cord
- 1*SUS basket and lid

Accessories details



tank size :500 x300x200




sus basket (optional)



power cord



upgrade driver board



high power transducer



JP-100S specification

Model	JP-100S(digital timer&heater)
Tank capacity	30L (with drainage)
Tank size(mm)	500*300*200(L*W*H)
Unit size(mm)	530*325*325
Box packing(mm)	635*405*390
Ultrasonic power	600W
Heating power	500W
Timer	1~30min adjustable
Heater	0 ~80C adjustable
Frequency	40,000Hz

Features:

1. Stainless steel tank has resistance to wear and long work life.
2. Tank capacity: 30L, with timer & heater adjustable knobs.
3. With Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. Industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. Certification: CE&RoHS , ISO9001

Company info.

Skyman Cleaning Equipment Shenzhen Co., Ltd. is one of the professional manufacturer which specialized in produce and design ultrasonic cleaner, include household ultrasonic cleaner, benchtop ultrasonic cleaner, industrial ultrasonic cleaner, submersible transducer, etc.



Other product specifications
Power adjustable and digital model

Model	Tank size L×W×H(mm)	Unit size L×W×H(mm)	Volume (L)	Ultrasonic power (W)	Frequency (kHz)	Heating power (W)	Timer (MIN)	Heating temperature (°C)
JP-120ST	500x300x250	670x480x700	38	240-600	28/40	1500	1-99	0-80
JP-180ST	500x350x300	680x530x700	53	360-900		3000		
JP-240ST	550x400x350	730x580x770	77	480-1200		3000		
JP-300ST	550x450x400	730x618x800	99	1500		4500		
JP-301ST	800x300x400	940x420x800	96	1500		4500		
JP-360ST	600x500x450	805x705x780	135	1800		4500		
JP-480ST	700x500x500	870x705x790	175	2400		6000		
JP-600ST	800x600x500	970x770x800	264	3000		6000		
JP-720ST	1000x600x600	1170x770x715	360	3600		9000		



S series
Digital adjustable and LED display.

Model	Tank size L×W×H(mm)	Unit size L×W×H(mm)	Volume (L)	Ultrasonic power (W)	Ultrasonic frequency (kHz)	Heating power (W)	Timer (MIN)	Heating temperature (°C)
JP-010S	150×135×100	175×160×210	2	60	40	100	1-30	0-80
JP-020S	240×135×100	265×165×220	3.2	120		100		
JP-030S	300×150×100	325×180×225	4.5	180		200		
JP-031S	300×150×150	325×180×280	6.5	180		200		
JP-040S	300×240×150	325×265×280	10.8	240		200		
JP-060S	330×300×150	360×325×285	15	360		300		
JP-080S	500×300×150	530×325×285	22	480		500		
JP-100S	500×300×200	530×325×325	30	600		500		



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen