



## 3.2L Digital Degas Stainless Steel Medical Lab Equipment Ultrasonic Cleaner

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: skymen /OEM
- Certification: CE/ROHS
- Model Number: JP-020S
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: carton box:340\*245\*310mm
- Delivery Time: In Stock
- Payment Terms: L/C, T/T,Paypal
- Supply Ability: 500 units/ day



#### Product Specification

- Material: Stainless Steel SUS304
- Tank Size: 240\*135\*100mm
- Unit Size: 265\*165\*220 Mm
- Ultrasonic Power: 120w
- Frequency: 4000 Hz
- Heating: 100 W
- Highlight: **table top ultrasonic cleaner, ultrasonic cleaning equipments**

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

## Product Description

### Specification:

Model	JP-020S
Ultrasonic power	60/120W ( 2pc transducer)
Frequency	40KHz
Housing material	SUS304
Tank material	SUS304
Heating power	200W
Tank capacity	3.2 L
Timer	Digital 1-30min adjustable
Heater	20~80°C adjustable
Washing basket	1 pc
Cover	include
Voltage	AC 100~120V, 60Hz AC 220~240V, 50Hz
Tank size	240*135*100 mm
Unit size	265*165*220 mm
Packing size	340*245*310mm
N.W.	3.6 Kg
G.W.	4.3 Kg
Certificate	RoHs / CE

### Features:

1. stainless steel tank has resistance to wear and long work life.
2. tank capacity:3.2L, with digital timer & heater control
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. temperature tunable from 20°C to 80°C
7. certification: CE&RoHS



# Digital Touch Control Panel

Skymen specialize in ultrasonic cleaners manufacturing since 2017

CE/ROHS/FCC/PSE/ISO9001



## New Upgrade And Tilted Touch Control Pannel

Angle of 20 degrees tilted,user-friendly



Angle of **20°**  
degrees tilted



## Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen