

China Skymen

CE

JP-240G

Negotiation

1sets/ wooden case

600pcs per month

## 77 Liters Industrial Sonic Cleaner Dip Tank For Kitchenware To Remove Dust, Oil, Grime

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 pcs
- Price:
- · Packaging Details:
- Delivery Time:
- In Stock • Payment Terms: Paypal / T/T / western Union
- Supply Ability:

## **Product Specification**

Product Name:

• Timer:

• Brand:

Ultrasonic Cleaner · Capacity: 77 LiterS 1200W • Ultrasonic Power: 1~99 Hours • Feature: Power Adjustable 40khz • Frequency: Sus304/316 • Material: Heating Power: 3kw • Transducer: 24 Pcs Skymen Certification: CE • Application: Auto Parts, Mach Components • Highlight: dual frequency ultrasonic cleaner, ultrasonic washing machine

**Our Product Introduction** 

### **Product Description**

77 Liters Industrial Sonic Cleaner Dip Tank For Kitchenware To Remove Dust , Oil , Grime



Fast and effective cleaning with no manual labor Powerful enough to remove carbon deposits yet gentle on aluminum parts

Use water-based cleaning solutions, no toxic solvents

Ultrasonic parts cleaners remove dirt, oils, lubricants, carbon, and other types of grime that build up on engines and mechanical parts. Grooves, internal passageways, seals, and other hard to reach areas are cleaned easily, eliminating hours of disassembling and reassembling complex parts.

#### Advantage:

Material : SUS304/316L with 2mm thickness,durable and stable.

High efficiency and stalbe transducer.

0-1200w ajustable power, apply to washing different kind of items.

PCB Board: Experienced engineer designed

Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second polution and better cleaning effects.



### Ultrasonic cleaning machine with rinsing tank:

Model	JP-240ST
Ultrasonic Tank	550X400X350
Max. Capacity	77L/tank
Construction Case	SUS304 (Mirror shining image available)
Construnction Tank	SUS304
Transducer Number	24 pcs
Ultrasonic power(Max.)	1200W
Ultrasonic frequency	40kHz
Temperature range	~99C adjustable
Heating power	3KW
Timer	1~99h
Drain	3/4" Valve
Lid & Basket	Available, material: SUS304
Cleaning Tank voltage	AC220V/AC380V 3phase
Generator Voltage	AC110V / 220V 1phase
	With double tank for cleaning and rinsing.
Features	With filtration system
	Multi-direction castors with brake;

# Cleaning effect from the clients



