

China Mainland

skymen

JP-720ST

Negotiation

In Stock

300units /month

CE

Engine Components Automotive Ultrasonic Cleaner / Actuators Aerospace Parts Ultrasonic Cleaning Unit

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, Western Union
- Supply Ability:



Product Specification

• Tank Size:

1000x600x600mm (LxWxH)

- Ultrasonic Frequency:
- Ultrasonic Max Power:
- Heater:
- Optional:
- Timer:

28khz/40khz

1pcs / wooden case packing

- 3600W

- Highlight:

- 20 To 80 Adjust

- Heating Power:
- Material:

- 1~99 Hours

- Oil Filtration System
- - 9KW, Hot Plate
 - Stainless Steel
 - ultrasonic washing machine, ultrasonic cleaning unit

Our Product Introduction

Turbine blades, Engine components and Actuators aerospace parts Ultrasonic Cleaning Unit Product specification:

Ultrasonic cleaning machine :

Model	JP-720ST		
Ultrasonic Tank Dimension(mm)	550X400X350		
Rinsing tank dimension(mm)	550X400X350		
Max. Capacity	77L/tank		
Construction Case	SUS304 (Mirror shining image available)		
Construnction Tank	SUS304		
Transducer Number	24 pcs		
Ultrasonic power(Max.)	1200W		
Ultrasonic frequency	40kHz		
Temperature range	~99C adjustable		
Heating power	3KW		
Timer	1~99h		
Drain	3/4" Valve		
Lid & Basket	Available, material: SUS304		
Cleaning Tank voltage	AC220V/AC380V 3phase		
Generator Voltage	AC110V / 220V 1phase		
	With double tank for cleaning and rinsing.		
Features	With filtration system		
	Multi-direction castors with brake;		

Skymen --- a professional manufacturer for 10 years, dedicated in ultrasonic cleaner. Excellent engineer team, can satisfy any requirement from our customers. High quality products and good after-service make Skymen ranking first in China.

JTS-720st Specifications:

Adjustable ultrasonic power With digital timer and heater;easy to operate SUS304/316L tank Adaptable for continuous operation Adjustable thermo controller Adjustable ultrasonic power With separate control ultrasonic electronic generator Digital timer control Boost mode& oil skimmer upon client's requirement Ultrasonic cleaner could removes small particulate and adhering contamination from parts where entrapment areas limit or restrict access through mechanical means

The cleanliness of your products and components directly affects the safety of your crew —ultrasonic cleaning technology contributes to your efforts to maximise the safety and reliability of aerospace components while achieving optimal cleanliness standards.

Ultrasonic cleaning is ideal for: Turbine blades Engine components Landing gear Overhaul parts Pneumatics Hydraulics Actuators

Before and After of using an ultrasonic cleaner:



Package

Packing , loading, delivery time		
Packing unit	1set / wooden case	
Packing method	Export wooden case	
Loading port	Shenzhen / Hongkong	
Delivery time	About 20 working days	
Minimum Order Quantity	1set	
Transport method	By express company / air / sea	

Skymen Technology Corporation Limited				
٤ 🕲	86-755-27094405	info@skymen.cc	skymenultrasonic.com	
Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen				